

K-MAN

SOLUTIONS



PPE Catalogue

**K-MAN Head Protection****4 - 6****K-MAN Eye Protection****7 - 12****K-MAN Hearing Protection****13 - 15****K-MAN Respiratory****16 - 18****K-MAN Hand Protection****19 - 30****K-MAN Disposable Suits****31 - 32****K-MAN Work Wear****33 - 38****K-MAN Casual Work Wear****39****K-MAN HACCP Range****40****K-MAN Tech - Gear****41 - 43****K-MAN Home Grown****44 - 45****K-MAN Rain Wear****46****K-MAN Thermal Wear****47 - 48****K-MAN Foot Wear****49 - 58****K-MAN Accessories****59 - 60**

Specialized Range

	K-MAN Welding Range	61 - 62
	K-MAN Furnace Range	63 - 64
	K-MAN Arc Protection	65 - 66
	K-MAN Abrasive Blasting	67 - 68
	K-MAN Height Safety	69 - 79

Operational Safety

	K-MAN First Aid Kits	80
	K-MAN Eye Wash Stations	81 - 82
	K-MAN Road Safety	83
	K-MAN Specialized Packaging	84

Head Protection

Nikki 1

**Hard hat for industrial and mining use
made of ABS plastic**

- Manufactured from lightweight ABS (Acrylonitrile Butadiene Styrene)
- Inner of hard hat shell engineered with reinforced ribs for increased protection
- Designed to exceed the European standard (EN 397 :1995)
- Turn top adjustable crown vent allows for double crown protection; open for breathability or close for protection

**Short
Peak**



**Mining
Option**



**Ratchet
Lining**



**Standard
Lining**



Nikki 2

**Hard hat for industrial and mining use
made of Polyprop Plastic**

- Manufactured from lightweight Polyprop Plastic.
- Inner of hard hat shell engineered with reinforced ribs for increased protection
- Integrated slots allows for the majority of accessories (earmuffs, face shields & visors).
- Designed to exceed the European standard (EN 397 : 1995) for Lateral Deformation.
- 4 Point standard shock absorption replaceable lining.

**Mining Option,
Open Vent**



**Industrial Option,
Closed Vent**



2 Point CHINSTRAP



3 Point CHINSTRAP



4 Point CHINSTRAP



Hardhats - No ratchet

- pheos B (no ratchet)**
9772020
- white



- 30mm euro slots for earmuffs
- molten metal splash
- very low - 30 C temperature
- 3 air vents
- 6 point harness
- removable sweat band

Hardhats - With ratchet

- pheos B-WR**
9772030
- white



- adjustable wheel ratchet
- molten metal splash
- 30mm euro slots for earmuffs
- very low - 30 C temperature
- 3 air vents
- 6 point harness

Generic Hardhats - No ratchet

- Multi Colour



- Adjustable ratchet headband fixed to six anchoring points.
- Foam cushion front sweatband for extra comfort.
- Provides sweat absorption for forehead area.

Bumpcap u-cap sport

u-cap sport



- sizes (55-60 cm)
- sporty design
- honeycomb shock-absorbing EN 812
- armadillo design flexibility
- adjustable
- washable

u-cap sport - Vented



- black
- sizes(60-64 cm)
- sporty design
- mesh for ventilation
- absorbing EN 812
- armadillo design flexibility
- adjustable
- washable

Bump Cap- Vented



- sporty design
- armadillo design flexibility
- adjustable
- washable

Hard Hat Attachments

SA-93



- Compatible with VB-10 Visor Bracket.

Ultimate Headgear HG-35 Black




- Ideal for High Heat Applications
- Can be used with other face shields, visors, and mesh screens.
- Melting point of Nylon/Fiber is 265° C

Ultimate Headgear HG-25 Blue



- Ratchet Headgear with Fabric Sweatband
- Blue High Density Polyethylene Browguard
- Melting point of 120°

Nylon Mesh Visor



- Ideal for hot, humid environments.
- Allows air flow and ventilation.
- Ideal for forestry applications.
- Convenience visor only.


Slot Adaptor & Visor Brackets



- Allows full face shield line mounting to major safety caps.
- Simultaneously uses cap mount ear muffs for hearing protection.
- Accommodates helmets with different beak lengths and angles.
- Designed for non-conductive applications with overhead center position feature.



Gold Coated Face Shield



- Lexan Polycarbonate Moulded Cylinder
- Made from green Lexan Polycarbonate.
- Coated with Reflective Gold for heat resistance.
- Top layer hard for scratch resistance.
- Heat Resistance: 982 °C.

Polycarbonate Face Shield



- Welding shade 5
- High Performance Polycarbonate Face Shields
- Moulded Polycarbonate (PC): Similar to Lexan's performance.
- Hard Coating (HC): Improves chemical and abrasive resistance.
- Anti-Fog Coating: Dark green with Infra Red Absorbers.

Economy Face Shield



- 1mm thick shield.
- Compatible with various industry headgear.
- High-quality Flat Polycarbonate with Lexan performance.
- HardCoating for improved chemical and abrasive resistance.
- Anti-Fog Coating.

Premium Lexan Face Shield



- Optical grade, impact and heat resistant.
- Limited scratch resistance.
- UV absorption 99% between 180-380 nm.

Eye Protection

Spectacles

Opti Gear Sporty Clear

Clear spectacles have a high density polycarbonate lens



- clear lens
- high-quality anti-scratch
- UV Coating
- for indoor and outdoor use
- high density vinyl frame
- adjustable temples
- x12 box

Opti Gear Sporty Clear Anti-Fog

Clear Anti-fog Spectacles high density polycarbonate lens



- clear lens
- anti fog
- high-quality anti-scratch
- UV Coating
- for indoor and outdoor use
- high density vinyl frame
- adjustable temples
- x12 box

Opti Gear Sporty Grey

Grey Spectacles high density polycarbonate lens



- grey lens
- high-quality anti-scratch
- UV Coating
- for indoor and outdoor use
- high density vinyl frame
- adjustable temples
- x12 box

Opti Gear Euro Clear

Clear Spectacles high density polycarbonate lens



- clear lens
- high-quality anti-scratch
- UV Coating
- for indoor and outdoor use
- high density vinyl frame
- adjustable temples
- x12 box

Opti Gear Euro Green

Clear Spectacles high density polycarbonate lens



- clear lens
- high-quality anti-scratch
- UV Coating
- ideal for outdoor
- high density vinyl frame
- adjustable temples
- x12 box

iGG - 16

SuperCoat - 3 in 1 - Anti-Fog, Anti-Scratch, Anti-Static



- Includes removable foam gasket
- Provide Comfort and Protection
- UV protection.
- EVA Foam carrier protects against dust / debris

iSG - 14

Scratch resistant, Hard Coated polycarbonate lens



- Weights 22 grams.
- Features rubber nose bridge and temple inserts.
- Provides all-day comfort.
- Available in Clear, Grey, Indoor/Outdoor, and Blue colors.

iSG - 18

Anti-fog coating, Polycarbonate lenses UV A, B and C, 180-380nm



- Offers full panoramic view and side protection.
- Soft flexible nose bridge minimizes slippage.
- Soft rubber temple pads for eye and ear comfort.
- Meets EN-166 & ANSI Z8 7.1.

iSG - 51

Scratch resistant, Hard Coated polycarbonate lens



- Top vented frame for air flow and fog reduction
- Adjustable length and pantoscopic angle
- Flexible nose bridge for all-day comfort

Pheos Clear Spectacles



- Duo spherical lens excellent all round vision
- protects the eyebrows
- Slim temple geometry
- comfortable wearing of earmuffs, helmets and caps
- Ventilation ensures a well eye climate

x-fit clear

blue/translucent lens PC clear supravision excellence



- Clear
- metal free
- 45m/s impact resistant
- anti-fog inside
- anti-scratch outside
- wrap around
- x10 box / 160 per case

x-fit clear

grey/translucent lens PC clear supravision sapphire



- clear lens
- metal free
- 45m/s impact resistant
- anti-scratch inside
- anti-scratch outside
- wrap around
- x10 box / 160 per case

x-fit

grey/translucent lens PC amber supravision excellence



- amber
- metal free
- 45m/s impact resistant
- anti-fog inside
- anti-scratch outside
- wrap around
- x10 box / 160 per case

x-fit

grey/translucent lens PC grey 23% supravision excellence



- grey lens
- metal free
- 45m/s impact resistant
- anti-fog inside
- anti-scratch outside
- wrap around
- x10 box / 160 per case

PHEOS Anti-Mist UV Safety Glasses

100% UVA, UVB and UVC up to 400nm



- Metal free
- Grey sun glare lens
- Enhanced ventilation
- Reduces risk of fogging
- Frameless design with integral brow guard
- grip the head for a secure, stable and comfortable fit

Anti-Mist UV Safety ,Clear PC Lens

scratch-resistant interior ,long-lasting anti-fog coating.



- Duo-spherical lens for wide field of vision
- Can be paired with a headband and frame for a guard.
- Suitable for working at height or in confined spaces.
- Creates a seal against particle ingress and splash.

Pheos spectacles

long-lasting anti-fog on both sides, and scratch-resistant interior.



- Wide field of vision
- Innovative duo-spherical lens technology.
- Anti-fog inside, scratch-resistant and chemical-resistant exterior
- Soft, non-slip arm end
- Certified to EN 166 and EN 172

pheos cx2

black/light blue frame + lens PC clear
supravision excellence



- clear
- metal free
- 45m/s impact resistant
- anti-fog inside
- anti-scratch outside
- soft nose
- brow guard
- wrap around

suXXeed grey

anthracite/lime frame + lens PC grey
supravision excellence



- sunglare filter
- UV 400
- metal free
- 45m/s impact resistant
- anti-fog inside
- sporty design
- flexible-nose pad
- x10 box / 160 per case

suXXeed clear

anthracite/blue frame + lens PC clear
supravision excellence



- Clear
- metal free
- 45m/s impact resistant
- anti-fog inside
- anti-scratch outside
- sporty design
- flexible-nose pad
- x10 box / 160 per case

iSG-15

Anti-Scratch



- Available in Clear, Grey with Hardcoat.
- Absorbs 99.99% harmful UV A, B, C.
- Meets ANSI Z87.1 and EN-166 standards.

Dinali

Wraparound Premium Protective eyewear, designed for maximum personalized comfort and protection



- Adjustable temples for comfortable fit.
- Pillow soft nose bridge for all-day comfort.
- Co-injected frame with extended brow guard.
- Indirect vents for airflow.
- Metal-Free hinge design for di-electric applications.

iSG-31

Scratch-resistant hard coated, polycarbonate lens UV protection



- Provides panoramic vision.
- Features a vented sponge for additional protection.
- Soft nasal flanges conform to various facial profiles.
- Temples secure non-slip fitting.
- Optical Class 1 & Impact Resistance.

iSG - 14 ib

Scratch resistant, Hard Coated polycarbonate lens



- Weights 22 grams.
- Features rubber nose bridge and temple inserts.
- Provides all-day comfort.
- Available in Clear, Grey, Indoor/Outdoor, and Blue colors.

Spoggle

pheos cx2 sonic

white / black frame + lens PC clear
supravision extreme



- clear
- medium 120 m/s impact resistant
- extreme anti-fog inside
- extreme anti-scratch outside
- adjustable band
- small face
- x10 / 160 per case

pheos cx2 sonic

white / black frame + lens PC grey
supravision excellence



- clear
- medium 120 m/s impact resistant
- extreme anti-fog inside
- extreme anti-scratch outside
- adjustable band
- small face
- x10 / 160 per case

Pheos guard AF Clear Lens

white / black frame + lens PC grey
supravision excellence



- Duo-spherical lens technology.
- Metal-free
- fitted extra frame and adapted headband.
- Additional eyebrow protection
- Soft, non-slip ear pieces prevent pressure points.
- Large field of vision.
- Can be combined with other PPE.

iGG-45

SuperCoat - Anti Fog, Anti Scratch and
Anti Static



- Swivel angle adjustment
- Soft foam fills gap between face and lens
- EVA closed cell foam resisting body oil and sweat
- Flame retardant foam and elastic fabric strap
- Deep channels moulded into foam to provide ventilation , reduce fogging

Air Specs

Great for humid environments, reduces
visible light by 60%



- Angle adjustment
- 0.45 mm stainless steel wire mesh with 0.8 mm openings
- Black anodized coating on steel mesh reduces reflections and glare.
- Wraparound frame
- EVA foam great face seal and eye socket protection.
- Elastic fabric headband is adjustable for secure fit

Over Spec

iSG-37

Scratch resistant, Anti-Fog Coated
polycarbonate lens



- UV protection
- Optical class 1
- Lightweight with maximum visibility
- Channels built in to handle your temples
- Fits over small to medium prescription glasses up to 140mm wide

Hekla

Scratch resistant, Anti Fog coated
polycarbonate lens



- Accommodation & Food Services
- Light Industry
- Oil & Gas (Extraction)
- Cleanliness
- Temporary Work
- Transportation
- Storage

Supravision

High impact polycarbonate lens, UV
protection



- Duoflex temples for pressure free fit
- Effective indirect ventilation
- Frosted brow guard reduce overhead reflection and glare

Eye Protection

Goggles

Galeras Goggles

Polycarbonate goggles. Flexible PVC and Nylon frame



- Indirect ventilation
- Wide screen with non-reflecting effect
- Adapted to wear with glasses and disposable respiratory half-masks
- Wide elastic strap
- Marking (EN-166)
- medium energy impact resistance
- impact resistance at extreme temperature
- Liquid projections resistance

Ultravision

transparent grey + lens CA clear non-fogging



- Metal-free design.
- Frame recesses for comfortable fit
- Flexible face seal for a wide range of applications.
- Large internal volume for prescription spectacles.
- Indirect ventilation system for increased air circulation.
- Length-adjustable textile headband for secure fit.
- Cellulose acetate lens with anti-fog and UV380 protection.
- Lenses can be replaced when needed.

Megasonic ETC clear

anthracite/blue frame + lens PC clear supravision ETC coating



- Clear
- medium 120 m/s impact resistant
- anti-fog inside
- anti fog outside
- adjustable band
- increased field of vision
- flexible adjustment to any face
- fits over prescription
- x4 box / 64 per case

Faceguard Only



- for 9301 (simply clips into polycarb goggles)
- Clear faceshield
- raises & lowers to accommodate masks
- fits onto 9301 models

Mouth shield Only



- for 9301 (simply clips into 9301 goggles)
- Clear face shield fits onto 9301 models

Welding Eye Protection

Gas Welding

i-vo gas welding

- black green frame + lens PC grey
- welding **shade 1.7** infradur plus
- **Available in shade 3 & 5**



- gas welding shade 1.7, 3, 5
- sunglare filter
- metal free
- 45 m/s impact resistant
- anti-fog inside
- anti-scratch outside
- wrap around
- lens inclination
- adjustable arms

super f OTG - gas welding

- black green frame + lens PC grey
- welding **shade 3** infradur plus



- gas welding shade 3
- sunglare filter
- metal free
- 45 m/s impact resistant
- anti-fog inside
- anti-scratch outside
- fits over prescription
- side shields

Infradur Gas Welding Goggles

- black green frame + lens PC clear
- welding **shade 1.7** infradur
- **Available in shade 3, 4, 5 & 6**



- gas welding shade 1.7, 3, 4, 5 & 6
- sunglare filter
- metal free
- 45 m/s impact resistant
- anti-fog inside
- anti-scratch outside
- anti-fog outside fits over prescription

Gas welding

- black green frame + lens PC clear
- welding **shade 4** infradur
- **Available in shade 4 & 6**



- gas welding shade 4, 6
- sunglare filter
- metal free
- 45 m/s impact resistant
- anti-fog inside
- anti-scratch outside
- anti-fog outside fits over prescription

Megasonic welding goggles

- black green frame + lens PC clear
- welding **shade 5** infradur



- metal free
- anti-fog inside
- anti-scratch outside
- gas welding shade 5
- ski goggle design with panoramic view
- anti-fog outside fits over prescription
- Increased mechanical strength
- sunglare filter, radiation protection to 400 nm

Lift Front Goggles

- Welding Shade 5



- Lift front welding goggles with two 50mm shaded eye pieces.
- Designed for gas welding or plasma cutting.
- Soft vinyl around eyepieces.
- Dual vents for maximum ventilation.

Hearing Protection

Reusable Hearing Protection

whisper - 2113002

- SNR 23 dB
- corded earplug



- 4-6 weeks lifespan
- washable
- removeable nylon cord
- hypoallergenic

whisper - 2113004

- SNR 23 dB
- corded earplug with container



- 4-6 weeks lifespan
- washable
- removeable nylon cord
- hypoallergenic
- hygienic storage container

Reusable Metal Detectable Corded Earplugs

- SNR 28
- corded earplug



- re-usable
- non-toxic
- metal ball for easy detection
- earplugs are triple flanged
- noise protection up to 110 dB
- can be cleaned using washing soap and water

Re-usable Corded Earplugs

- SNR 28 dB
- corded earplug



- re-usable
- non-toxic
- non-allergic
- earplugs are triple flanged
- can be cleaned using washing soap and water

Quattro Earplugs

- SNR 34
- Nylon corded earplug



- re-usable
- non-toxic
- non-allergic
- Resists ear wax and body oils
- Easy insertion and removal

whisper - 2113015

- SNR 28 dB
- banded earplug



- re-usable
- 4-6 weeks lifespan
- washable
- plastic neck band
- hypoallergenic

x-fit - 2113014



- SNR 37 dB
- corded earplug
- disposable
- use once only lifespan
- hypoallergenic

Disposable Corded Earplugs



- SNR 23 dB
- disposable
- non-toxic
- non-allergic
- self-adjusting durable foam
- ergonomically shaped

Disposable Uncorded Earplugs



- SNR 28 dB
- banded earplug
- disposable
- self-adjusting
- durable foam
- use once only lifespan

x-fit dispenser refills - 2112003



- SNR 37 dB
- 200 pairs/refill pack
- disposable
- use once only lifespan
- hypoallergenic
- bulk packaging for dispenser

Dispenser - 2112000 "one2click"



- for x-fit/com4-fit/hi-com/one fit refills
- once click disposable plug dispenser
- wall mountable
- free standing
- easy to refill

Disposable Uncorded Bulk Earplugs



- SNR 37 dB
- corded earplug
- disposable
- high quality
- self-adjusting
- durable foam
- Single use

Earmuffs

SPA-3

- Blue/black



- Ear defenders with polystyrene (PS) and synthetic foam cups
- Abs headband, adjustable in height.
- Low pressure pads.

MAXI MUFF

- 28 NRR and 30 SNR
- black/red



- Self-aligning suspension
- Soft, pliable SuperSeal Ear Cushions
- Resist body oil and sweat
- Cushioned, virtually indestructible headband

INTERLAGOS

- Grey/orange



- Foldable ear defenders with ABS cups.
- Pads filled with Synthetic Foam
- Double Plastic headband, adjustable in height
- Foam reinforcement for a better comfort.

K1 - 2600001

- SNR 28dB
- black/lime



- length adjustable
- lightweight
- small cup size
- soft ear cushions
- soft headband

QUICKSNAP EAR MUFFS

- 111dB
- 25 – 28 NRR



- Unique low profile "cut-out" to nest under rim of hardhats
- Universal blade fits most slotted safety caps
- Dielectric construction
- Integrates with variety of face shields, visors and screens
- HM-20 Available in Grey and Hi-Viz (NRR 25, SNR 29)

Earmuffs with Adjustable Headband

- SNR: 31dB



- Foldable headband for easy carrying and storage.
- Soft foam filled ear cushions are lightweight & for increased comfort for extended wear.
- Slim profile design increases stability.
- PU Covered head band cushioned for added comfort.

EARMUFF WITH HELMET MOUNTING

- SNR: 28 dB



- Lightweight, comfortable design.
- Easy helmet attachment and detachment.
- Spring-loaded arms for excellent fit.
- Distinct wearing positions.

Respiratory Protection

Disposable Masks

Airmaxx Disposable FFP1 Dust Mask



- Aluminium nose strip with glue bonding.
- 3 layers: top, bottom, meltblown polyester.
- Head Strap: Spandex elastic tape.
- Protects against low dust, solid, liquid aerosols.

Airmaxx Disposable FFP2 Dust Mask



- Aluminium nose strip with glue bonding.
- 3 layers: top, bottom, meltblown polyester.
- Head Strap: Spandex elastic tape.
- Protects against low dust, solid, liquid aerosols.

Airmaxx Disposable FFP2V Dust Mask With Valve



- 3 layers: non-woven 100% polyester top and bottom.
- Rubber one-way exhalation valve.
- Latex-free head straps pre-stretched and glue-bonded.
- Protects against dust, solid, liquid aerosols.

Airmaxx FFP2V Dust Mask with Active Carbon and Valve



- 5 layers: non-woven polyester, rubber exhalation valve.
- Low profile, adjustable nose clip.
- Pre-stretched, glue-bonded latex free head straps.
- Protection against welding fumes, odours, and dust.

com4-air FFP2 - KM8762200

- disposable dust mask
- moulded cup shape



- EN 149:2001
- NRCS/8072/0329
- moulded cup shape
- disposable

com4-air FFP2 V - KM8762210

- disposable dust mask
- moulded cup shape valve



- EN 149:2001
- NRCS/8072/0330
- moulded cup shape
- disposable
- valve

com4-air FFP2 CV - KM8762220

- disposable dust mask
- moulded cup shape
- active carbon valve



- EN 149:2001
- NRCS/8072/0331
- moulded cup shape
- disposable
- valve
- activated carbon

com4-air FFP3 - KM8762310

- disposable dust mask
- moulded cup shape valve



- EN 149:2001
- NRCS/8072/0328
- moulded cup shape
- disposable
- valve



Respiratory Protection

Respiratory reusable

3M™ Reusable Half Mask Respirator 7500



- 7500 have a bayonet-style twin-filter design that fits a broad range of 3M lightweight filters.
- 7500 Series reusable masks have a 3M™ Cool Flow™ Valve, a soft sealing surface for comfort, and a unique head harness with an optional drop-down strap.

3M™ 6300 HALF MASK



- Made from a lightweight, comfortable elastomeric material with a bayonet-style twin-filter design, cradle head harness and easy-fasten neck strap
- reusable half masks are low profile and are available in three sizes.

Full Face Mask 3M 6800



- Offers lightweight comfort and ease of use.
- Versatile for use with 3M particulate filters, gas/vapor cartridges, and supplied air respirator systems.
- Features 3M™ Cool Flow™ Valve for easier breathing.
- NIOSH has tested and approved the 6000 Series.
- Meets ANSI Z87.1-2003 standard impact requirements.
- Enhances comfort and visibility, making wearing the respirator more enjoyable.

DRAEGER X-plore 5500 Series Half-Type Respirator Mask



- Double sealing frame with threefold sealing edges
- distortion-free lens with 180° wide angle
- Efficient ventilation system with separate nose cup ensures a fog-free lens
- X-plore 5500 is equipped with two lateral bayonet connections

DRAEGER X-plore 5500 Series Half-Type Respirator Mask



- Double sealing frame with threefold sealing edges
- The mask body from durable EPDM ensures a great level of wearing comfort
- The distortion-free lens with 180° wide angle guarantees a large field of view with excellent peripheral vision

Respiratory reusable

Reusable Half Mask Double Cartridge Respirator



- Engineered for comfort and protection
- Hypo-allergenic mask ,best seal against harmful gases.
- Lightweight design.
- Adjustable head cradle
- Quick release clips.
- Double cartridge design
- Maximizes breathability.
- Downward-facing exhalation valve
- Minimizes fogging of lenses.

3M™ Gas and Vapour Filter, ABEK1, 6059



- Protects against a range of vapours, gases and particulates
- Combines protection with comfort and balance
- Low profile design to optimise your field of vision

Gas Filter Cartridges ABEK1



- Easy attachment
- Quick, secure fitting
- Ideal for organic gases and vapors
- Provides high protection in various environments
- Filters out harmful gases and particulates

Gas Filter Cartridges Large A1



Gas Filter Cartridges A1



- Easy attachment
- Quick, secure fitting
- Ideal for organic gases and vapors
- Provides high protection in various environments
- Filters out harmful gases and particulates

Particle Pre Filter P3 Retainer



- Securely holds Particle Pre Filter P3.
- Places on top of Gas Filter Cartridge.
- Durable casing ensures optimal performance.
- Designed for use with Gas filter cartridges.

Particle Pre Filter P3



- High-Level Protection against Harmful Particulates
- Filters solid or liquid substances in fine particulate state.
- Must be used with gas filter and Particle Pre Filter Retainer.
- Cannot be used alone.
- Replaced when breathing becomes difficult.

General Handling Glove

K-MAN K1 General Handling Glove

- Size: S - XL



- Eco Friendly
- Touchscreen compatible
- Enhanced Grip in wet conditions
- Soft & Flexible
- Hydropellent

Versa Wrist Length Gloves

- Size: S - 2XL



- Features sandy nitrile coating and 15-gauge nylon-spandex liner.
- Double-dipped palm coating for enhanced grip.
- Designed for flexibility and dexterity.

Tru Touch Blue Sandy Nitrile Gloves

- Size: M - XL



- General, small component handling glove for food industry.
- Rough nitrile coating for grip in wet/dry conditions.
- Suitable for greasy/oily work environments.

Wonder Grip Gloves Oil Guard

- Size: S - XL



- Constructed on 15-gauge nylon liner with triple nitrile coating.
- Offers superior abrasion, tear resistance, and oil/liquid impermeability.
- Lightweight construction and soft.

Tru Touch Red Smooth Nitrile Coated

- Size: M - XL



- Wrist length glove for general handling in food industry.
- Provides excellent grip in wet/dry conditions.
- Features smooth coated finish.

Wonder Grip Gloves Oil

- Size: S - 3XL



- Constructed on 13-gauge nylon and spandex liner.
- Double nitrile coating for oil protection. Provides extra abrasion resistance.

General Handling Glove

Flexinite

- Size : 8 - 11



- High durability and abrasion resistance.
- Highly dexterous.
- Well fitted and soft.
- Economical industrial packaging.

Assembly Gloves - 114.0822

Sandy nitrile coating

- Size: 7 - 11



- High durability and abrasion resistance.
- Highly dexterous.
- Well fitted and soft.
- Economical industrial packaging.

Assembly Gloves - 114.0811

Sandy nitrile coating

- Size: 6 - 12



- High durability and abrasion resistance.
- Highly dexterous.
- Well fitted and soft.
- 13g seamless polyester liner
- 100 Degrees touch contact for 15 seconds

Touchscreen Compatible Assembly Gloves Powerfit®, Oeko-Tex

- Size: 6 - 12



- 100 Approved
- Patented nitrile foam coating.
- Great oil grip, wet grip, and dry grip.
- Excellent abrasion resistance combined with dexterity and breathability.

Uniflex U7020 - 60515

- Size: 7 - 10



- EN 388:2003 4 1 1 1
- nitrile coated, knitted glove, palm dip
- general purpose
- 3/4 nitrile durable dip
- cotton liner construction

Unilite KU-6605 - 60573

- Size: 6 - 11



- Nitrile foam coating
- lightweight
- breathable
- highly flexible
- grip in slightly damp areas

unilite 6610 F 44 Safety Gloves

- Size: 6 - 11



- Nitrile rubber fully coated
- Breathable precision glove with good dry and wet grip
- Fully coated with NBR foam
- outstanding mechanical abrasion resistance
- great mechanical strength

Athletic lite 60027

- Size: 6 -11



- Lightweight, sensitive for mechanical tasks.
- Matt, porous, abrasion-resistant microfoam coating.
- Provides good grip in dry and damp areas.
- High breathability due to porous coating.

Compact NB27H- 60945

- Size: 9 - 10



- Nitrile rubber coating
- Suitable for handling rougher, coarse materials.
- Offers good mechanical abrasion resistance.
- Offers long service life.
- Highly durable.

General Handling Glove

Assembly Gloves 4279

- Size: L



- Water and oil repellent.
- High durability, dexterity and tactile sensitivity.
- Resistant to contact heat up to 100°C for 15 s.
- Sanitized® treated to prevent bacteria growth and promote freshness.

Enviro Wrist Length Gloves

- Size: M - XL



- Sandy nitrile coating and palm dip finish for excellent grip.
- Elasticated knit wrist for secure fit.
- Breathable nitrile material
- Touch screen compatible

Full Dip Sandy Nitrile Gloves

- Size: M - XL



- Sandy nitrile coating on 15-gauge polyester liner.
- Elasticated knit wrist for optimal grip, comfort, and durability.
- Double-dipped resistance to water, oil, grease.

Aqua Wrist Length Glove

- Size: S - 2XL



- Premium 15-gauge polyester glove with latex coating.
- Protection against water and liquids.
- Seamless knit construction for comfort and flexibility.
- Durable design meets industrial safety certifications.
- Versatile and highly protective glove.

WG 422 Bee-Smart

- Size: M - XL



- High resistance to torsion and breathability.
- Unique palm shape for maximum grip.
- High grip performance for safe handling.
- Soft coating enhances hand movement and reduces fatigue.

Sandy Latex Cold Gloves

- Size: M - XL



- Features 10-gauge polyester and brushed acrylic liner for warmth.
- Grey sandy latex palm coating for secure grip.
- Elasticated knit wrist for snug fit.
- Breathable liner for comfort.

Cut Resistant Gloves

Wonder Grip Gloves WG 787 Dexcut

- Size: S - 2XL



- 13-gauge HPPE, mineral fibre, spandex liner.
- Provides cut resistance, flexibility, and breathability.
- Made from Tsunooga high performance polyethylene.
- Suitable for dry and oily applications.

Tru Touch Cut 5 Nitrile Wrist Gloves

- Size: S - XL



- Made from HPPE fiber, polyester, nylon, glass fiber, and spandex.
- Features double-dipped nitrile exterior coating.
- Features rough palm finish for grip.
- Elasticated knit wrist-length safety cuff for secure fit.

Flexinite Cut Resistant Glove

- Size: 7 - 11



- 100% cut yarn for full cut resistance.
- Alkimos® yarn technology for superior dexterity and sensitivity.
- Nitrile with sandy surface for good grip and resistance.
- High flexibility and durability.

Helix 2076 - 60660

- Size: 5 - 12



- 13-gauge HPPE and steel fiber blend shell for 360° cut protection.
- Flexible polyurethane palm coating for superior grip and abrasion resistance.
- ANSI/ISEA level A6 cut protection.
- Knit wrist for dirt and debris prevention.

Cut Resistant Gloves Protector 116.0995

- Size 7 - 11



- Typhoon® and polyurethane coating
- Highly durable.
- Very good abrasion resistance and good cut protection.
- Good touch sensitivity.
- Economical version.

Cut Resistant Gloves Protector 116.599

- Size 7 - 12



- Double Dipped Sandy Nitrile Coating
- Provides extreme blade cut resistance.
- Offers excellent abrasion and tear resistance.
- Meets EN 388:2016 level F.

Cut Resistant Gloves

Cut-Resistant Gloves 547

- Size: 6 - 12



- High protection against cuts — EN 388:2016 level D.
- Excellent abrasion resistance and tear resistance far exceeding the requirements for the highest EN 388:2016 level.
- Knit 15-gauge Typhoon and steel fiber blend shell

Athletic D5XP - 60030

- Size: 6 - 11



- High Cut Resistance
- Excellent grip in dry, oily, wet conditions.
- Excellent mechanical abrasion resistance.
- Thumb crotch reinforcement.
- Highly flexible, excellent fit.
- Touchscreen-properties.

Cut Pro Wrist Length Gloves

- Size: S - 2XL



- Nitrile micro foam coating and elasticated knit wrist.
- Double-dipped palm finish.
- Features a 15-gauge Cut E protection.
- Touchscreen compatibility
- Reinforced thumb and index
- Breathable nitrile material

WG 718 Dexcut

- Size: S - XL



- Cut level D
- Unique HPPE and glass fibre cut-resistant liner.
- Made from Tsunooga high performance polyethylene.
- Provides superior cut resistance, flexibility, and comfort.

Cut Pro Plus Wrist Length Gloves

- Size: S - XL



- Cut level E
- Unique HPPE and glass fibre cut-resistant liner.
- Made from Tsunooga high performance polyethylene.
- Provides superior cut resistance, flexibility, and comfort.

Chemical Gloves

Profastrong - 60122

- Size: 7 - 10



- Outstanding mechanical abrasion resistance.
- Good grip in damp/wet areas.
- Resistance to oils, grease, acids, alkalis.
- Highly flexible.

Latex Chemical Resistant 112.0700

- Size: 8 - 10



- Unsupported, cotton flock
- Additional neoprene layer in palm area increases chemical resistance.
- Reliable chemical Type A protection.
- Anti-slip pattern for good grip in wet and dry

Nitrile Chemical Resistant 114.1000

- Size: 7-12



- High durability and protection against solvents.
- Anti-slip pattern for good grip in wet and dry conditions.
- Approved to be used in direct contact with all types of food, including fatty foods

Nitrile Chemical Resistant 114.1046

- Size: 8 - 10



- Unsupported 46cm length
- Designed to provide high durability and protection against solvents.
- Thicker gauge for increased durability.
- Textured palm for excellent grip in wet and dry conditions

Profabutyl B-05R chemical protection gloves - 60949

- Size: 7 - 11



- Good grip in damp/wet areas
- Resistance to polar compounds
- DIN EN 16350:2014: Antistatic butyl chemical protective glove

Profapren CF33 - 60119

- Size: 7 - 10



- flocked cotton with polychloroprene coated chemical resistant cuff, patterned inside hand chloroprene flocked cotton

Chemical Gloves

Neoprene Chemical Resistant lined - 114.2000

- Size: 8 - 10



- Unsupported, cotton flock Lined
- High chemical resistance.
- Anti-slip pattern for good grip in wet and dry conditions.
- Pure cotton flock liner to absorb perspiration.

Neoprene Chemical Resistant Gloves - 114.3000

- Size: 8 - 11



- Durable and comfortable.
- Retains its softness and elasticity even in cold environment.
- High chemical resistance.
- Contact heat resistance up to 250°C for 15s.
- Bonded acrylic liner inside.

Chemical-Resistant Gloves - 114.6000

- Size: 8 - 12



- indoor and outdoor applications
- Sandy nitrile coating on the palm ensures excellent dry, wet and oily grip.
- Resistance to grease, detergents, and chemicals
- Designed for softness and flexibility

Chemical Impact Gloves

Chemical Protective Gloves with Impact Resistant - 115.6050

- Size: 7 - 11



- Seamless nylon liner
- Provides protection against OBMs (oil based muds), lubricants, and fluids.
- Excellent sandy nitrile grip handle dry, wet or oily surfaces with ease.
- Powerful and flexible impact protection.
- Very soft and flexible.
- Made from 100% Nitrile.

Chemical-and-Cut-Resistant Gloves with Impact Protection

- Size: 7 - 12



- High Visibility Chemical Barrier
- Provides liquid-proof protection against various chemicals.
- High abrasion-resistant material enhances durability.
- Highly chemically resistant (EN 374:2016/Type A).
- Approved for 48% and 99% Hydrofluoric acid (HF).
- Heat-resistant up to 100°C for 15 seconds.

Impact and Chemical Protective Gloves 115.9011

- Size 7 - 12



- Typhoon® cut level D liner provides 360° protection.
- Nitrile coating provides wide range of chemical protection.
- Outstanding palm grip to handle slippery and/or oily objects.
- Powerful impact protective details on back of hand.
- Wide cuff and glove length is 39 cm.

Impact Gloves

Assembly Gloves with Impact Protection - 115.5502

- Size: 7 - 11



- Nitrile foam coating, nylon/spandex lining
- Very soft and flexible TPR design on the back of the hand for powerful impact protection.
- TPR protects the fragile parts of the hands and reduces shock energy on the metacarpals and knuckles.
- Exceptional comfortability with superb finger sensitivity.
- nitrile foam technology provides good breathability and dexterity.

Thin Lizzi 2090X

- Size: 5 - 12



- Wrist Length
- Back-of-hand IR-X® Impact Exoskeleton
- 13-gauge hi-vis HPPE, and fiberglass shell
- Flexible sandy nitrile palm coating, superior grip and abrasion resistance in wet conditions
- Reinforced thumb crotch patch for increased durability

Impact Wrist Length Gloves GL-IMPA101-N

- Size: M - XL



- Features a sandy nitrile double-dipped palm coating for superior grip.
- 15-gauge patented high-performance cut-resistant Cut D protection.
- Reinforced TPR impact protection for heavy impacts.
- Elasticated knit wrist with strap for secure fit.

Leather Gloves

Leather Gloves Wrist Length

Chrome Leather Candy Standard Gloves

- Size: 10



- Wrist length
- Made from Chrome split leather
- Soft fabric inner lining for extra comfort and breathability.

Chrome Leather Gloves Wrist Length

- Size: 10



- Wrist length
- Made from Chrome split leather
- Soft fabric inner lining for extra comfort and breathability.

Goat Skin VIP Driver Gloves

- Size: 9 - 11



- Tough general handling glove
- Strong water repellency
- Extra thick goat leather for added durability

Tru Touch Chrome Leather Yellow Candy Superior Wrist Gloves

- Size: 10



- Wrist length
- Made from Chrome split leather
- Soft fabric inner lining for extra comfort and breathability.

Tru Touch Cotton Liner Gloves

- Size: Large



- Polycotton liner glove
- Can be used as a light general handling glove
- Inner glove in conjunction with another glove.

Tru Touch Tig Full Grain Leather Gloves

- Size: 10 - 11



- Wrist length
- Extra strong welding
- Full grain leather
- No inner lining

Leather Gloves Elbow Length

Tru Touch Green Lined Welders Wrist Gloves

- Size: 10



- Wrist length
- Fleece inner lining
- Heat resistance
- Ideal for welding

Tru Touch Yellow Lined Welders Superior Wrist Length

- Size: 10



- Wrist Length, Soft fleece
- Denim lining
- Reinforced palm and thumb area
- Black leather piping for added durability
- Ideal for welding and high heat environments.

Tru Touch Leather Rigger Candy-Striped Gloves

- Size: 10



- Wrist length
- Made from Chrome split leather
- Soft fabric inner lining for extra comfort and breathability.

Tru Touch Green Lined Welders Elbow Gloves

- Size: 10



- Wrist length
- Fleece inner lining
- Heat resistance
- Leather piping
- Ideal for welding

Tru Touch Red Heat Standard Gloves

- Size: 10



- Elbow length
- Chrome leather (0.8mm thick)
- Apron palm for additional heat protection
- Stitched with Kevlar for extra heat resistance.

Tru Touch Red Heat Superior Gloves

- Size: 10



- Elbow length
- Chrome leather (0.8mm thick)
- Added reinforcement below the wrist
- Apron palm for additional heat protection
- Stitched with Kevlar for extra heat resistance.

Tru Touch Yellow Lined Welders Superior Elbow Length Gloves

- Size: 10



- Elbow length
- Soft fleece
- Denim lining
- Reinforced palm and thumb area
- Black leather piping for added durability

Tru Touch Chrome Leather Gloves Elbow Length

- Size: 10



- Elbow length
- Made from Chrome split leather
- Soft fabric inner lining for extra comfort and breathability.

PVC Gloves

Tru Touch Red PVC Heavy Duty Gloves Rough Palm

- Size: 10



- Heavy weight, rough finish.
- Suitable for greasy, oily, wet, heavy duty work environments.
- Good resistance to soft chemicals.

Tru Touch Red PVC Medium Weight Wrist Gloves

- Size: 10



- General purpose wrist length glove.
- Fits greasy, oily, wet work environments.
- Offers good resistance to soft chemicals.

Standard Weight 60cm PVC Glove

- Size: 10



- Elbow length dip coated glove.
- Suitable for soft chemical exposure.
- Fits greasy, oily, wet work environments.

Thermal Gloves

Red PVC Medium Weight Elbow Gloves

- Size: 10



- General purpose elbow length glove.
- Fits greasy, oily, wet work environments.
- Offers good resistance to soft chemicals.

Assembly Winter Gloves 108.8080

- Size: 7 - 11



- Blue waterproof latex coating
- Black sandy latex foam overdip
- Approved to be used in direct contact with all types of food, including fatty foods.

Wonder Grip WG 338 Thermo Plus Glove

- Size: S - XL



- Insulated ,Water repellent, Double Latex Coated
- Cold resistance
- Used specifically in cold and wet conditions
- 3-gauge brushed pile acrylic liner

Hand Protection

Disposable Gloves

Cool Blue Premium Nitrile Gloves

- Size: S - XL



- Soft and strong nitrile.
- Lightweight and elastic.
- Enhanced finger sensitivity and dexterity.
- Micro textured fingertips for optimum grip.
- Approved to be used in direct contact with all types of food, including fatty foods.

Black Nitrile Glove

- Size: S - XL



- Soft and strong nitrile.
- Micro-textured fingertips for optimum grip.
- Approved to be used in direct contact with all types of food, including fatty foods (EN 1186).
- Approved for medical use

Blue Nitrile Glove

- Size: S - XL



- Powder Free
- Single Use Only
- Disposable and protective nitrile examination gloves made from premium grade synthetic polymer
- Latex-free raw material that exhibits rubber-like characteristics and is non-allergenic.
- More puncture resistant than either latex or vinyl gloves

Latex Gloves - Powdered and Non-Powdered

- Size: S - XL



- Premium quality examination gloves made of natural rubber latex.
- Protect hands from bacteria and viruses.
- Non-sterile, ambidextrous, and disposable.
- Non-slip even when wet.
- Suitable for medical procedures and examinations.

Yellow Household Gloves With Flock Line

- Size: S - XL



- Yellow Household Gloves commonly used because of their snag, puncture, abrasion and cut resistance
- It provides for both wet or dry grip
- Great for food handling, cleaning and general workplace safety and sanitation.

Disposable Gear

Type5-6 classic - 9844909

PPE-Category III

Certified according to



- Size: S-3XL
- Polypropylene spun bound laminated with Polyethylene film
- Protective clothing against hazardous particles
- Resistance to chemical permeation liquids

3B - 98375010

PPE-Category III

Certified according to



- Size: S-3XL
- Polypropylene Laminated Clothing
- Protects against infective agents.
- Resists blood and body fluids.
- Can withstand wet bacterial penetration.
- Can resist biologically contaminated dust penetration.

4B - 9837509

PPE-Category III

Certified according to



- Size: S-3XL
- Polypropylene Laminated Clothing
- Protects against infective agents.
- Resists blood and body fluids.
- Can withstand wet bacterial penetration.
- Can resist biologically contaminated dust penetration.

Disposable Gear

Plastic Arm Protector



- Low-density Polyethylene
- 20 micron
- Machine made
- Man-Made (White only)
- 200mm x 460mm

Mop Cap



- 100% spun bonded polypropylene
- Grams: 10gsm
- Sterilization: NS
- Sizes: 18 inch Single Stitch or 21 inch Double Stitch

Beard Cover



- 100% spun bonded polypropylene
- Grams: 10gsm
- Sterilization: NS
- Sizes: Standard

Non Woven Over shoes



- Low-density Polyethylene
- 20 micron
- Machine made
- Man-Made (White only)
- 200mm x 460mm

Plastic Apron



- Single-use, disposable Aprons.
- Light duty Waterproof protection.
- Made from premium quality Polyethylene.
- Contains no latex – hypoallergenic

Plastic Disposable Smocks



- Sold in a 100 Pack
- Single-use, disposable Smock.
- Light duty Waterproof protection.
- Standard Length Comes in Clear or White

Disposable Non Woven LabCoat



- Size S - 2XL
- Non Woven
- Long sleeves
- Velcro front

Heavy Duty PVC Apron



- 600 gram PVC Apron
- Superior splash protection
- Resistance to chemicals fats, grease, oils, punctures and abrasions

White Blood and Fat PVC Apron



- Blood and Fat Apron
- Used in food preparation areas, butchery or abattoir type environments

Endurance Range

D59 SABS Flame & Acid Retardant Thermal Jacket

Composition: Flame & Acid Outer Cotton Lining, Thick Wadding

- Size : S - 5XL
- Premium YKK Brass Zip
- Silver Flame Tape on Arms



D59 SABS Flame & Acid Retardant DustCoat

Composition: 100% Cotton 330gsm

- Size: S - 5XL
- Buttoned Front
- Silver Flame Tape on Arms



D59 SABS Flame & Acid Retardant Welding Hood / Welding Cap

Composition: 100% Cotton 330gsm

- One Size
- Adjustable Face Cover
- Provides Shoulder Protection



D59 SABS Flame & Acid Retardant Jacket & Trousers

Composition: 100% Cotton 330gsm

- Size: 28 -58
- Premium YKK Brass Zip
- Silver Flame Tape on Arms



D59 Flame & Acid 100% Cotton Flame & Acid Boilersuit

Composition: 100% Cotton 330gsm

- Size : S - 5XL
- Premium YKK Brass Zip
- Silver Flame Tape on Arms & Legs



D59 SABS Flame Jacket & Trousers

Composition: 100% Cotton 310gsm

- Size: 28 - 56
- Premium YKK Brass Zip
- Lime & Silver Tape on Arms & Legs



J54 SABS Jacket & Trousers

Composition: 100% Cotton 270gsm

- Size: 28 - 56
- Premium YKK Brass Zip
- Lime & Silver Flame Tape on Arms & legs



J54 SABS Jacket & Trousers

Composition: 100% Cotton 235gsm

- Size: 28 - 56
- Premium YKK Brass Zip
- Lime & Silver Tape on Arms & Legs



J54 SABS Approved Boilersuit

Composition: 100% Cotton 235gsm

- Size: 28 - 60
- Premium YKK Brass Zip
- Lime & Silver Flame Tape on Arms & Legs



Titan Acid Resistant Conti Jacket & Trousers

Composition : 78% Polyester 22% Viscose

- Jacket Sizes: S - 5X
- Trouser Sizes: 26 - 54
- Premium YKK Vislon Zip
- Lime & Silver Tape on Arms & Legs



Titan Denim Jacket & Trousers With Or Without Reflective

Composition: 100% Denim Fabric 11oz

- Jacket Size: S - 5XL
- Trousers Size: 28 - 60
- Premium YKK Brass Zip
- Fully Triple Stitched



TITAN Jackets & Trousers

Composition 65/35 Polycotton 235g

- Premium YKK Vislon Zip
- Dura-Tex235gsm Fabric



Hi-Viz Workwear

TITAN Jackets and Trousers with Reflective

Composition 65/35 Polycotton 235g

- Premium YKK Vislon Zip
- Dura-Tex235gsm Fabric



Titan 100% Cotton Vented Reflective Shirt

Composition : 65/35 Duratex 235gsm

- Sizes: S-5XL
- Vented on Back
- 2 x 50mm Reflective Tape Front & Back
- 50mm reflective tape on Arms



Titan 100% Cotton Vented Reflective Work Shirt

Composition : 100% Cotton Twill - Shirting 150gsm

- Vented on Back
- 2 x 50mm Reflective Tape Front & Back
- 50mm reflective tape on Arms



Titan 2 Tone Reflective Jackets & Trousers

Composition: Duraflect 50/50 Duratex 65/35 235gm

- Sizes: S-5XL
- Hi Viz Fabric
- 50mm Silver Tape on Arms & Legs
- 50mm Silver Tape, Front & Back



Hi-Viz Workwear

Aerotex Reflective Waistcoat

- Size S - 4XL
- Unisex



Baron Cue Safety Vest

- Size S - 5XL
- Unisex



EN4 standard reflective vest

- Size S - 4XL
- Unisex



Two-Tone Hi-Viz Reflective Golf Shirt

- Sizes S - 5XL
- 160g/m2
- 100% polyester



Tech Gear Trouser NightGlo Lime and Gun Metal

- Sizes 28 - 48
- Built for durability
- 50mm reflective tape
- Silver reflective piping



Casual Workwear

Work Wear T-Shirt Black

- Sizes - S - 3XL
- Light weight
- 100% cotton
- Odour proof



Work Wear Golf Shirt Black

- Sizes - S - 3XL
- Ribbed collar
- 220gsm cotton



Men's Workwear Jeans

Mid Blue / Dark Blue

- Sizes - 28 to 44
- Safety technology
- Extreme comfort



Ladies Workwear Jeans

Mid Blue/ Dark Blue

- Sizes - 28 to 42
- Safety technology
- Extreme comfort



HACCP Wear

Titan HACCP Dust Coats

Composition : 65/35 Polycotton 235gsm

- Size: 28 - 56
- 1 Internal Pocket
- Press Stud Closure
- Half - Elasticated Cuffs
- Unisex



HACCP Pyjama Jacket

Composition : 65/35 Polycotton 235gsm

- Sizes: 28 - 56
- 1 Internal Chest Pocket
- Pull - over Jacket
- Closed Front
- Half - Elasticated Cuffs



HACCP Pyjama Pants

Composition : 65/35 Polycotton 235gsm

- Pants Sizes: 28 - 52
- 1 Internal Pocket
- Elasticated Waist



HACCP Pressed Stud Jacket

Composition : 65/35 Polycotton 235gsm

- Jacket Sizes: 28 - 56
- Chinese Collar
- 1 Internal Chest Pocket with Flap
- Press Stud Closure
- Half-Elasticated Cuffs



Tech Gear

Tech Gear Acid Flame Jacket Airforce Blue

- Sizes: S - 3XL
- The 100% cotton
- flame retardant and acid resistant



Tech Gear Jacket Desert dust

- Sizes: S - 3XL
- 300d Oxford polyester fabric



Tech Gear Jacket Gun Metal Grey

- Sizes: S - 3XL
- 300d Oxford polyester fabric



Tech Gear Acid Flame trouser Airforce Blue

- Size: 28 - 48
- The 100% cotton
- flame retardant and acid resistant



Tech Gear Trouser desert dust

- Size: 28 - 48
- high quality poly-cotton canvas
- 300d Oxford polyester fabric



Tech Gear Trouser Gun Metal Grey

- Sizes: 28 - 48
- high quality poly-cotton canvas
- 300d Oxford polyester fabric



**Ladies Tech Gear Acid Flame
trouser Airforce Blue**

- Sizes: 28 - 48
- The 100% cotton
- flame retardant and acid resistant



**Ladies Tech Gear Trouser
Desert dust**

- Sizes: 28 - 48
- high quality poly-cotton canvas
- 300d Oxford polyester fabric



**Ladies Tech Gear Trouser
Gun Metal Grey**

- Sizes: 28 - 48
- high quality poly-cotton canvas
- 300d Oxford polyester fabric



Tech Gear Trousers Arctic White

- Sizes: 28 - 48
- Designed for painters
- Built for durability



Tech Gear Trouser Raven Black

- Sizes: 28 - 48
- High quality poly-cotton canvas
- 300d Oxford polyester fabric



**Tech Gear Trouser
NightGlo Lime and Gun Metal**

- Sizes: 28 - 48
- Built for durability
- 50mm reflective tape
- Silver reflective piping



Ladies Tech Gear trouser Raven Black

- Sizes: 28 - 48
- The 100% cotton
- flame retardant and acid resistant



Tech Gear shorts Desert dust

- Sizes: 28 - 48
- high quality poly-cotton canvas
- 300d Oxford polyester fabric



Tech Gear shorts Gun Metal Grey

- Sizes: 28 - 48
- high quality poly-cotton canvas
- 300d Oxford polyester fabric



Home Grown

5 - Inch Homegrown Stretch Cargo Shorts

Composition: 100% Cotton Dura Stretch 270gsm

- Sizes: 28 - 48
- Premium YKK Brass Zip
- 5-inch from Crotch to Seam



8 - Inch Homegrown Stretch Cargo Shorts

Composition: 100% Cotton Dura Stretch 270gsm

- Sizes: 28 - 48
- Premium YKK Brass Zip
- 8-inch from Crotch to Seam



HomeGrown Ladies Short Sleeve Work / Bush Shirt

Composition: 100% Brushed Combed Cotton 145gsm

- Size: S - 3XL
- Full Button Front
- 100% Cotton Fabric



HomeGrown Mens Short Sleeve Work / Bush Shirt

Composition: 100% Brushed Combed Cotton 145gsm

- Size: S - 4XL
- Full Button Front
- 100% Cotton Fabric



HomeGrown Ladies Long Sleeve Work / Bush Shirt

Composition: 100% Brushed Combed Cotton 145gsm

- Size: S - 3XL
- Full Button Front
- 100% Cotton Fabric



HomeGrown Mens Long Sleeve Work / Bush Shirt

Composition: 100% Brushed Combed Cotton 145gsm

- Size: S - 4XL
- Full Button Front
- 100% Cotton Fabric



HomeGrown Lumber Winter Work Jacket

Composition: 65/ 35 Duratex 235gms

- Size: S - 4XL
- Premium YKK Brass Zip
- Polar Fleece Lined



HomeGrown Mens Multi - Pocket Cargo Pants

Composition: 65/35 Polycotton BushWear Finish 240g

- Sizes: 28 - 44
- Premium YKK Metal Zip
- Dura 235gsm Fabric



Rain Workwear

Rubberised Navy Rainsuit

- Sizes: S - 4XL
- 100% waterproof polyester/PVC rain suit with a nylon mesh lining, 110gsm inner filling, fully taped seams.



Rubberised Yellow Rainsuit

- Sizes: S - 4XL
- 100% waterproof polyester/PVC rain suit with a nylon mesh lining, 110gsm inner filling, fully taped seams.



Rubberised Hi Viz Reflective Navy Rainsuits

- Sizes: S - 4XL
- 100% waterproof polyester/PVC rain suit with a nylon mesh lining, 110gsm inner filling, fully taped seams.



Rubberised Hi Viz Reflective Orange Rainsuit

- Sizes: S - 4XL
- 100% waterproof polyester/PVC rain suit with a nylon mesh lining, 110gsm inner filling, fully taped seams.



Rubberised Hi Viz Reflective Lime Rainsuit

- Sizes: S - 4XL
- 100% waterproof polyester/PVC rain suit with a nylon mesh lining, 110gsm inner filling, fully taped seams.



Poncho

- seam sealed
- Draw cord and toggles in hood
- Press stud closure down the sides or sewn down sides.
- Draw cord bag in self fabric.



Thermal Wear

Thermal Long Sleeve Tops

- Size: S-5XL
- 100% pure cotton
- 220g interlock material
- Available in Men's & Ladies Cut



Thermal Long pants

- Size: S-5XL
- 100% pure cotton
- 220g interlock material
- Available in Men's & Ladies Cut



Reflective freezer Jacket

- Loose Hood With Cord
- P200d Oxford Water Resistant
- Hd Zip Front Jacket
- 2 Patch Pockets
- Elasticated Cuffs
- Reflective Tape On Arms And Around Body



Woolen Balaclava

- Standard Size



Freezer Jacket

- P200d Oxford Water Resistant
- Hd Zip Front Jacket
- 2 Patch Pockets
- Elasticated Cuffs
- Loose Hood With Cord



Freezer trouser

- P200d Oxford Water Resistant
- Straight Stitch Polyester Lining
- Pyjama Style Trousers With Elastic Waist



Reflective freezer trouser

- P200d Oxford Water Resistant
- Straight Stitch Polyester Lining
- Reflective Tape On Legs
- Pyjama Style Trousers With Elastic Waist



Hi-Viz Reflective Bunny/Bomber Jacket

- Size: S-5XL
- Polycotton - 240g/m²
- Zip-off sleeves Fleece lining Ribbed cuff and hem



VIZ-PRO Bunny Jacket

- Size: S-3XL
- Zip-off Sleeves
- 2 X Slant Pocket
- Reflective Tapes
- Cell Phone Pocket
- 300d Oxford Waterproof



Hi Vis Freezer Jacket

- Size: S-3XL
- Reflective
- 2 Patch Pockets
- Elasticated Cuffs
- Hd Zip Front Jacket
- Loose Hood With Cord
- P200d Oxford Water Resistant



Shisa Acid Flame Jacket

- Size: S-5XL
- Reflective
- Winter parka jacket
- Press studs and zip
- 125g fleece and 180gm batting
- Acid & Flame retardant D59 100% Cotton material



Cross Over Jacket

- Size: S-5XL
- Water resistant
- Dri-mac type jacket
- 80g fleece lining with zip
- Reflective strip around the middle and raglan sleeves



Hurricane Jacket

- Size: S-5XL
- Reflective
- Oxford fabric
- Water resistant
- Winter parka jacket
- Press studs and zip
- 170g fleece lining and 180gm batting



REBEL Foot Gear

Hiker Hi Boot



- Sizes: 2-14
- Upper - High quality waxy full grain leather
- Sole - Dual density polyurethane (PU)
- Eyelets - Nickel-free D-rings
- Toe Cap - 200J steel toe cap
- Midsole - Non

Kontrakta Shoe



- Sizes: 3-14
- Upper - High quality barton print split leather
- Sole - Dual density polyurethane (PU)
- Eyelets - Nickel-free D-rings
- Toe Cap - 200J steel toe cap
- Midsole - Non

Kontrakta Boot



- Sizes: 3-14
- Upper - High quality barton print split leather
- Sole - Dual density polyurethane (PU)
- Eyelets - Nickel-free D-rings
- Toe Cap - 200J steel toe cap
- Midsole - Non

FX2 Boot



- Sizes: 2-13
- Upper - High quality barton print full grain leather
- Sole - Dual density polyurethane (PU)
- Eyelets - Nickel-free D-rings
- Toe Cap - 200J steel toe cap
- Midsole S1P - steel midsole for anti-penetration

FX2 Shoe



- Sizes: 2-13
- Upper - High quality barton print full grain leather
- Sole - Dual density polyurethane (PU)
- Eyelets - Nickel-free D-rings
- Toe Cap - 200J steel toe cap
- Midsole - Non

Chukka Shoe



- Sizes: 2-14
- Upper - High quality barton print full grain leather
- Sole - Dual density polyurethane (PU)
- Eyelets - Nickel-free D-rings
- Toe Cap - 200J steel toe cap
- Midsole - Non

Chukka Boot



- Sizes: 2-14
- Upper - High quality barton print full grain leather
- Sole - Dual density polyurethane (PU)
- Eyelets - Nickel-free D-rings
- Toe Cap - 200J steel toe cap
- Midsole - Non

Chukka Boot



- Sizes: 2-14
- Upper - High quality barton print full grain leather
- Sole - Dual density polyurethane (PU)
- Eyelets - Nickel-free D-rings
- Toe Cap - 200J steel toe cap
- Midsole - Non

Work-Pro Shoe



- Sizes: 2-12
- Upper - High quality action leather
- Sole - Dual density polyurethane (PU)
- Eyelets - Metal eyelets
- Toe Cap - No steel toe cap
- Midsole - Non

DynaPro Safety Shoe



- Sizes: 4-13
- Upper - High quality Flex-Mesh for comfort and flexibility
- Sole - EVA (Phylon) grey midsole and rubber outsole
- Eyelets - Round metal eyelets
- Toe Cap - 200J composite non-metallic toe cap
- Midsole - Non

Crazy Horse Boot



- Sizes: 4-13
- Upper - High quality full grain Crazy Horse Nubuck brown leather
- Sole - Dual density polyurethane (PU) and rubber heat resistant sole
- Eyelets - N/A – slip-on
- Toe Cap - 200J steel toe cap
- Sole - Outsole is heat resistant up to 300°C
- Steel midsole for anti-penetration

S3 Apex Non-Metallic Boot



- Sizes: 2-14
- Upper - Nubuck action leather with Cordura overlay
- Sole - Dual density polyurethane (PU) midsole and rubber outsole
- Eyelets - Non-metallic high density plastic
- Toe Cap - 200J composite non-metallic toe cap
- Midsole - Wellmax non-metallic anti-penetration board

Expedition Safety boot



- Sizes: 4-13
- Upper - High quality Nubuck leather
- Sole - EVA midsole and rubber outsole
- Eyelets - Fabric loops
- Toe Cap - 200J steel toe cap
- Midsole - Steel midsole for anti-penetration

Chelsea Boot Black



- Sizes: 3-13
- Upper - High quality smooth microfiber
- Sole - Dual density polyurethane (PU)
- Eyelets - NA – slip-on
- Toe Cap - 200J steel toe cap
- Midsole - Steel midsole for anti-penetration

Chelsea Boot Brown



- Sizes: 3-13
- Upper - High quality smooth microfiber
- Sole - Dual density polyurethane (PU)
- Eyelets - NA – slip-on
- Toe Cap - 200J steel toe cap
- Midsole - Steel midsole for anti-penetration

Hi -Top Boot Black



- Sizes: 4-13
- Upper - High quality smooth microfiber
- Sole - Dual density polyurethane (PU) – light grey midsole and dark grey outsole
- Eyelets - Round metal eyelets
- Toe Cap - 200J wide profile steel toe cap
- Midsole - NA

Hi- Top Boot Brown



- Sizes: 4-13
- Upper - High quality smooth microfiber
- Sole - Dual density polyurethane (PU) – light grey midsole and dark grey outsole
- Eyelets - Round metal eyelets
- Toe Cap - 200J wide profile steel toe cap
- Midsole - NA

Glider Work Shoe



- Sizes: 3-13
- Upper - High quality microfiber; padded microfiber collar for added comfort
- Sole - Dual density polyurethane (PU)
- Eyelets - N/A – slip-on
- Toe Cap - 200J composite non-metallic toe cap
- Midsole - NA

Hiker Lo Shoe



- Sizes: 3-13
- Upper - High quality waxy full grain leather
- Sole - Dual density polyurethane (PU)
- Eyelets - Nickel-free D-rings
- Toe Cap - 200J steel toe cap
- Midsole - Non

Enduro-Max Safety Shoe



- Sizes: 4-13
- Upper - High quality durable mesh and Nubuck leather with rubber toe bumper
- Sole - Dual density EVA and rubber
- Eyelets - Nickel-free eyelets
- Toe Cap - 200J steel toe cap
- Midsole - Non

Hiker Hi Boot



- Sizes: 2-14
- Upper - High quality waxy full grain leather
- Sole - Dual density polyurethane (PU)
- Eyelets - Nickel-free D-rings
- Toe Cap - 200J steel toe cap
- Midsole - Non

Expedition Lo shoe



- Sizes: 4-13
- Upper - High quality Nubuck leather
- Sole - EVA midsole and rubber outsole
- Eyelets - Fabric loops
- Toe Cap - 200J steel toe cap
- Midsole - Steel midsole for anti-penetration

Havoc Boot



- Sizes: 4-13
- Upper - High quality waxy smooth leather
- Sole - Dual density polyurethane (PU) and rubber
- Eyelets - Hex eyelets with climbing hooks
- Toe Cap - 200J steel toe cap
- Midsole - Non

FX2 Metatarsal Boot



- Sizes: 3-13
- Upper - High quality barton print full grain leather
- Sole - Dual density polyurethane (PU)
- Eyelets - Nickel-free D-rings
- Toe Cap - 200J steel toe cap
- Midsole - S1P – steel midsole for anti-penetration

Jigga Work Boot



- Sizes: 3-13
- Upper - High quality full grain barton print leather with water resistant coating and has a thermoplastic polyurethane toe bumper
- Sole - Dual density polyurethane (PU) and rubber outsole, with a non-metallic high-density mesh midsole for anti-penetration protection
- Eyelets - Non-metallic high density plastic
- Toe Cap - 200J composite non-metallic toe cap
- Midsole - Non-metallic high-density mesh for anti-penetration

S3 Chukka Boot Black



- Sizes: 3-13
- Upper - High quality barton print full grain leather complete with S2 water resistant coating
- Sole - Dual density polyurethane (PU)
- Eyelets - Nickel-free D-rings
- Toe Cap - 200J steel toe cap
- Midsole - Steel midsole for anti-penetration protection

Chemitrak S3 Boot



- Sizes: 4-13
- Upper - High quality full grain water resistant black waxy cow leather; thermal lining on inside of boot, between leather and inner lining
- Sole - Polyurethane (PU) and Rubber
- Eyelets - Nickel-free reinforced eyelets
- Toe Cap - 200J steel toe cap
- Midsole - Steel midsole for anti-penetration

Thermotrak Hi Boot



- Sizes: 4-13
- Upper - High quality full grain black leather; thermal lining on inside of boot, between leather and inner lining
- Sole - Polyurethane (PU) and Rubber
- Eyelets - No eyelets or laces; quick release Velcro fastening on the inside tab and quick release snap buckle on the outside
- Toe Cap - 200J steel toe cap
- Midsole - Non

Black Hawk S3 Combat Boot



- Sizes: 3-15
- Upper - High quality water resistant heavy duty canvas complete with leather buffers
- Sole - Dual density polyurethane (PU)
- Eyelets - Nickel-free eyelets and D-Rings
- Toe Cap - 200J steel toe cap
- Midsole - Steel midsole for anti-penetration

Miners Heavy Duty Work Boot



- Sizes: 4-14
- Upper - Upper made from high quality Buffalo Crazy Horse leather
- Sole - Polyurethane (PU) and rubber
- Eyelets - Round metal eyelets and hook lacing system
- Toe Cap - 200J steel toe cap
- Midsole - Non

Non-metallic Work Boot



- Sizes: 3-13
- Upper - High quality barton print full grain leather
- Sole - Dual density polyurethane (PU)
- Eyelets - Non-metallic high density plastic eyelets
- Toe Cap - 200J composite non-metallic toe cap
- Midsole - Non-metallic high density mesh for anti-penetration protection

Unisex Light Industrial 2.0



- Size: 2 - 13
- Upper - High quality Flex-Mesh upper for comfort and flexibility
- Sole - EVA (Phylon) midsole & rubber outsole
- Eyelets - Reinforced TPU eyelets
- Toe Cap - 200J Composite (non-metallic) toe cap
- Midsole - Non

Hygiene Boot



- Size: 3 - 13
- Upper - High quality white S2 water resistance microfiber upper, with thermoplastic polyurethane (TPU)
- Sole - Polyurethane (PU) and rubber; injection moulded; temperature maximum 300°C
- Eyelets - Slip-on design (no eyelets or laces)
- Toe Cap - 200J composite non-metallic toe cap
- Midsole - Non-metallic high density mesh for anti-penetration protection

Lo Top safety shoe



- Sizes: 4-13
- Upper - High quality smooth microfiber
- Sole - Dual density polyurethane (PU)
- Eyelets - Round metal eyelets
- Toe Cap - 200J wide profile steel toe cap
- Midsole - Non

REBEL Ladies Foot Gear

Light Industrial shoe



- Sizes: 2-8
- Upper - Grey Oxford mesh; thermoplastic polyurethane (TPU) trim; grey Nubuck back guard
- Sole - EVA rubber outsole
- Eyelets - Fabric loops and one round metal eyelet
- Toe Cap - 200J steel toe cap
- Midsole - Non

Grey Wolf shoe



- Sizes: 2-8
- Upper - Mesh and thermoplastic polyurethane (TPU) laminate
- Sole - Rubber/EVA outsole
- Eyelets - 5 sets of steel eyelets to reduce lace pressure over the top of the foot
- Toe Cap - 200J composite non-metallic toe cap
- Midsole - Non

Light Industrial Shoe



- Sizes: 5-13
- Upper - Grey Oxford mesh; thermoplastic polyurethane (TPU) trim; grey Nubuck back guard
- Sole - EVA rubber outsole
- Eyelets - Fabric loops and one round metal eyelet
- Toe Cap - 200J steel toe cap
- Midsole - Non

Zari shoe



- Sizes: 2-14
- Upper - High quality microfiber; polyurethane (PU) collar with Velcro strap overlay
- Sole - Dual density polyurethane (PU)
- Eyelets - N/A – Velcro strap overlay
- Toe Cap - 200J steel toe cap
- Midsole - Non

Iman shoe



- Sizes: 2-8
- Upper - High quality microfiber
- Sole - Dual density polyurethane (PU)
- Eyelets - Round metal eyelets
- Toe Cap - 200J steel toe cap
- Midsole - Non

Thuli



- Sizes: 2-8
- Upper - High quality microfiber; reinforced backguard; high durability elastic
- Sole - EVA/rubber outsole
- Eyelets - N/A – Slip-on
- Toe Cap - 200J steel toe cap
- Midsole - Non

Nala boot



- Sizes: 2-8
- Upper - High quality microfiber
- Sole - Dual density polyurethane (PU)
- Eyelets - Black metal eyelets and one set of fabric loops
- Toe Cap - 200J steel toe cap
- Midsole - Non

Kito slip-on shoe



- Sizes: 2-8
- Upper - High quality microfiber; polyurethane (PU) collar; easy elasticated slip-on design
- Sole - Dual density polyurethane (PU)
- Eyelets - N/A
- Toe Cap - 200J steel toe cap
- Midsole - Non

Rugged safety Boot



- Sizes: 2-8
- Upper - Water resistant microfibre with reinforced TPU backguard and TPU toe bumper.
- Sole - Rubber outsole and EVA midsole, heat resistant to 300°C.
- Eyelets - Black non-metallic hex eyelets
- Toe Cap - 200J composite non-metallic toe cap.
- Midsole - Non-Metallic high-density mesh for anti-penetration

Light Industrial 2.0



- Size: 2 -8
- Upper - High quality Flex-Mesh upper for comfort and flexibility
- Sole - EVA (Phylon) midsole & rubber outsole
- Eyelets - Reinforced TPU eyelets
- Toe Cap - 200J Composite (non-metallic) toe cap
- Midsole - Non

Bova Foot Gear

Hamburg Safety Shoe



- Sizes: 4-12
- Upper - Suede leather, Reflective safety stripes for enhanced visibility. Padded tongue and collar for comfort
- Sole - Dual Density PU/PU (Heat-resistant up to 95°C)
- Eyelets - 4 pair eyelet lace-up
- Toe Cap - Steel
- Midsole - Shank reinforcement for arch support

Multi Safety Shoe



- Sizes: 5-13
- Upper - Genuine split leather, Padded tongue and collar for comfort
- Sole - Single Density PU Sole (Heat-resistant up to 95°C)
- Eyelets - 4 pair eyelet lace up
- Toe Cap - Steel
- Midsole - Shank reinforcement for arch support

Maverick Safety Boot



- Sizes: 4-13
- Upper - Genuine split leather, Padded tongue and collar for comfort
- Sole - Dual Density PU/PU Sole (Heat-resistant up to 95°C)
- Eyelets - 5 pair D-Ring lace-up
- Toe Cap - Steel
- Midsole - Steel midsole, SMS available

Maverick Safety Boots



- Sizes: 4-13
- Upper - Genuine split leather Padded bellows tongue and collar for comfort
- Sole - Dual Density PU/PU Sole (Heat-resistant up to 95°C)
- Eyelets - 5 pair D-Ring lace-up
- Toe Cap - Steel
- Midsole - Steel midsole available
- SMS available

Neogrip Shoe



- Sizes: 5-13
- Upper - Full grain leather, Reflective safety tab on rear for enhanced visibility, Padded collar for comfort
- Sole - Dual Density PU/PU (Heat-resistant up to 95°C)
- Eyelets - 3 pair eyelet lace-up
- Toe Cap - Steel
- Midsole - Shank reinforcement for arch support -Steel midsole available

Amathole Safety Boot



- Sizes: 5-13
- Upper - Full Grain Leather with synthetic tongue and collar, Padded collar for additional comfort and support, reflective tape in quarter and forepart to increase visibility.
- Sole - Dual Density PU/PU with SRC slip resistance rating (Heat-resistant up to 95°C)
- Eyelets - 4-pair corrosion resistant D-ring lace-up
- Toe Cap - Steel – extra wide fitting
- Midsole - Anti-penetration midsole available

Munich 2.0



- Sizes: 5-13
- Upper - Full Grain Leather with Mesh collar, Padded collar for additional comfort and support, Padded bellows tongue to improve comfort, Reflective tape in quarter areas to increase visibility
- Sole - Dual Density PU/PU with SRC slip resistance rating (Heat-resistant up to 95°C)
- Eyelets - 5-pair corrosion resistant D-ring lace-up
- Toe Cap - Steel – extra wide fitting
- Midsole - Steel Midsole available

Adapt Safety Boot



- Sizes: 5 -13
- Upper - Genuine split leather, Padded bellows tongue and collar for comfort
- Sole - Single Density PU Sole (Heat-resistant up to 95°C)
- Eyelets - 4 pair D-ring lace-up
- Toe Cap - Steel
- Midsole - Shank reinforcement for arch support

Bova Foot Gear

Neoflex Safety Boot



- Sizes: 3- 15
- Upper - Full grain leather, Bellows tongue, Padded collar for comfort, Reflective safety tab on rear for enhanced visibility
- Sole - Dual Density PU/PU (Heat-resistant up to 95°C)
- Eyelets - 5 pair D-Ring lace-up
- Toe Cap - Steel
- Midsole - Shank reinforcement for arch support
- Steel midsole available
- APT midsole available

Chelsea Safety Boot



- Sizes: 3-13
- Upper - Full grain leather, Elastic side gussets and 2 pull straps for ease of entering and exiting the boot
- Sole - Dual Density PU/PU (Heat-resistant up to 95°C)
- Eyelets - None
- Toe Cap - None
- Midsole - Shank reinforcement for arch support
- Anti-penetration midsole

Bremen 2.0



- Sizes: 5-13
- Upper - Full Grain Leather with Mesh collar, Padded collar for additional comfort and support, Padded bellows tongue to improve comfort, Reflective tape in quarter area to increase visibility
- Sole - Dual Density PU/PU with SRC slip resistance rating (Heat-resistant up to 95°C)
- Eyelets - 4-pair corrosion resistant D-ring lace-up
- Toe Cap - Steel – extra wide fitting
- Midsole - Steel Midsole

Munich



- Sizes: 5-13
- Upper - Full Grain Leather with Mesh collar, Padded collar for additional comfort and support, Padded bellows tongue to improve comfort, Reflective tape in quarter areas to increase visibility
- Sole - Dual Density PU/PU with SRC slip resistance rating (Heat-resistant up to 95°C)
- Eyelets - 5-pair corrosion resistant D-ring lace-up
- Toe Cap - Steel – extra wide fitting
- Midsole - Steel Midsole available

Nebula



- Sizes: 4 - 13
- Upper - Full grain leather Padded tongue and collar for comfort Extra-wide fitting upper as per podiatry specifications
- Sole - Dual Density PU/Vibram Rubber (Heat-resistant up to 300 °C)
- Eyelets - 5 lacing guides
- Toe Cap - Steel – new design extra-wide fitting
- Midsole - Shank reinforcement for additional arch support
- Standard with an anti-penetration midsole

Welding Boots



- Sizes: 4 - 13
- Upper - Full grain leather upper, Padded collar and ½ padded tongue for additional comfort, Leather spat covering to shield laces and protect the wearer from sparks and metal burns
- Sole - Dual Density PU/Rubber Sole (Heat-resistant up to 300°C)
- Eyelets - 4 pair eyelet lace up with hooks
- Toe Cap - Steel
- Midsole - Anti-penetration midsole available

Smelters Safety Boot with Buckles



- Sizes: 4 - 13
- Upper - Full grain leather, Full leather external wrap, secured by 3 stainless steel, quick-release buckles to protect the foot from sparks and metal burns
- Sole - Dual Density PU/Rubber (Heat-resistant up to 300°C)
- Eyelets - None
- Toe Cap - Aluminum
- Midsole - Shank reinforcement for additional arch support

Lemaitre Foot Gear

Robust



- Sizes: 2 -13
- Upper - Cut from 1.9mm – 2.1mm Barton Print leather, 10mm EVA padded collar for enhanced comfort and ankle support, Metal rivet and cap reinforcing for enhanced durability.
- Sole - Shank reinforcement for additional arch support, made from Double Density PU/PU, flexible low density, Polyurethane with a shore hardness of 0.45mm – 0.50mm.
- Eyelets - 3 pair eyelet lace-up
- Toe Cap - Steel Toe Cap.
- Midsole - None

Maxeco Pro



- Size: 2 - 13
- Upper - Full grain genuine leather upper, PlushShield additional padding in the collar and bellows tongue ensures superior ankle support, Cambrill laminated lining on collar and vamp
- Sole - PU Dual density can withstand temperatures of up to 95°C
- Eyelets - Non-corrosive brass D-rings for secure and quick lacing
- Toe Cap - Extra-wide steel toecap for impact resistance and comfort with 200 J impact protection
- Midsole - made from a flexible low density polyurethane with a shore hardness of 45 – 55.

Zeus



- Sizes: 3- 13
- Upper - Smooth Buffalo full-grain leather, Elastic side gussets and 2 pull-tabs for ease of entry and exit of the boot.
- Sole - Shank reinforcement for additional arch support, made from Double Density PU/PU, can withstand temperatures up to 95°C.
- Eyelets - None
- Toe Cap - Steel, impact load of 200 joules, available with a Soft Toe
- Midsole - Flexible low density polyurethane with a shore hardness of 0.45mm – 0.50mm

Nomad



- Sizes: 3-13
- Upper - Barton Print leather with PU collar and tongue as well as reflective piping, EVA padded collar for enhanced comfort and ankle support.
- Sole - Shank reinforcement for additional arch support made from Double Density PU/PU with a concave curve to cushion impact, withstand temperatures up to 95°C
- Eyelets - 4 pair brass D-rings for quick lacing and release
- Toe Cap - Steel, withstand impact load of 200 joules
- Midsole - flexible low density, Polyurethane with a shore hardness of 0.45mm – 0.50mm.

Ladies Sisi Foot Gear

Venice



- Size: 3-8
- Upper - Full Grain Leather, Padded collar for enhanced comfort and support
- Sole - Single density Polyurethane (Heat-resistance up to 95°C)
- Eyelets - 4 Pair rust-resistant eyelet lace-up
- Toe Cap - Steel toe cap, Available in non-steel toe cap
- Midsole - Shank reinforcement for additional arch support

Paris



- Sizes: 3- 8
- Upper - Full Grain Leather, Padded collar for enhanced comfort and support
- Sole - Single density Polyurethane (Heat-resistance up to 95°C)
- Eyelets - None
- Toe Cap - Steel toe cap, Available in non-steel toe cap
- Midsole - Shank reinforcement for additional arch support

Cate



- Sizes: 3 - 8
- Upper - Full Grain Leather, Padded Collar and tongue for enhanced comfort and support
- Sole - Dual Density PU/PU (Heat-resistant up to 95°C)
- Eyelets - 3 pair rust-resistant D-ring lace-up with 1 pair hooks for quick removal of boot
- Toe Cap - Steel
- Midsole - Shank reinforcement for arch support, Available with a Steel midsole

Sydney



- Size: 3 - 8
- Upper - Full Grain Leather
- Sole - Single density Polyurethane (Heat-resistance up to 95°C)
- Eyelets - None
- Toe Cap - Steel
- Midsole - Shank reinforcement for additional arch support

Nicole



- Sizes: 3 - 8
- Upper - Full Grain Leather, Padded Collar from mesh fabric for enhanced comfort, breathability and support
- Sole - Dual Density PU/PU (Heat-resistant up to 95°C)
- Eyelets - 4 pair punch hole lace-up
- Toe Cap - Steel
- Midsole - Shank reinforcement for arch support, Available with a Steel midsole

Jennifer



- Sizes: 3 - 8
- Upper - Full Grain Leather, Padded Collar and tongue from mesh fabric for enhanced comfort, breathability and support
- Sole - Dual Density PU/PU (Heat-resistant up to 95°C)
- Eyelets - 5 pair rust-resistant eyelet lace-up
- Toe Cap - Steel
- Midsole - Shank reinforcement for arch support, Available with an anti-penetration midsole

Reese



- Size: 3 - 8
- Upper - Full Grain Leather, Padded Collar and tongue from mesh fabric for enhanced comfort, breathability and support
- Sole - Dual Density PU/PU (Heat-resistant up to 95°C)
- Eyelets - 7 pair rust-resistant eyelet lace-up
- Toe Cap - Steel
- Midsole - Shank reinforcement for arch support, Available with an anti-penetration midsole

Gumboots

DURALIGHT MEN'S



F1030



F1040

- Sizes: 3-12
- white/ Black/ Green
- PVC upper for optimum flexibility and abrasion resistance
- Durable PVC sole
- Lightweight
- Nylon liner for easy cleaning and quick drying for maximum hygiene
- Without STC (soft toe)
- Certified according to accreditation 2034

DURALIGHT LADIES



F1681



F1661

- Sizes: 3-12
- white
- PVC upper for optimum flexibility and abrasion resistance
- Durable PVC sole
- Lightweight
- Nylon liner for easy cleaning and quick drying for maximum hygiene
- Without STC (soft toe)
- Certified according to accreditation 2034

EGOLI 1 – KNEE LENGTH - F1271



- Sizes: 3-14
- Nitrile PVC upper for optimum flexibility and abrasion resistance
- Nitrile PVC sole for durability and protection against fats, oils and chemicals
- Cleated sole for SRA-level slip resistance
- Nylon liner for easy cleaning and quick drying for maximum hygiene
- Optimal toe-spring for walking and kneeling
- Comes with STC & NSTC

DURALIGHT CHELSEA 1/Mens 2/Ladies



**F1510- Ladies
3-9**



**F1504- Mens
5-12**

- white / Black
- Nitrile PVC upper
- Nitrile PVC sole
- protection against blood, fats, oils and chemicals
- Cleated sole design for slip resistance
- Elastic gusset for quick entry and exit
- Nylon liner for easy cleaning and quick drying for maximum hygiene
- Without STC (soft toe)

Socks

Bova Sox



- Anti-static Fibre
- Disables 95% of bacteria within 2 hours.
- Eliminates body odor, allergies, and foot infections.
- Safe for natural skin flora and environmentally friendly.

Bova Freezer Sox



- Engineered from imported performance fibres.
- Composed of wool, Dynamix, Polyamide, and Elastane.
- Pedal for comfort and elastic band for stability.

Footology Smelter Sock



- Flame retardant – recommended for high heat conditions
- Antibacterial
- Made from natural fibres
- Temperature regulating
- Moisture wicking & odour resistant
- Full calf length
- Reinforced heel & toe areas for cushioning & durability

Footology Industrial Anklet Sock



- Permanent anti-static effect.
- Treated with RUCO-BAC AGP antimicrobial silver-based technology.
- Eliminates 95% of bacteria within 2 hours.
- Prevents allergies and foot infections.
- Made with eco-conscious materials.

Socks - SOCKSGY



- one size, fits all
- Cotton-rich
- extra comfort and cooling ability
- elasticity for a snug shape
- Extra-thick Terry towel weave along the heel

Cold Room Freezer Socks



- Grey Long socks with ties perfect for freezer wear.

Accessories

Overshoe



- Small 2- 5 
- Medium 6 - 9 
- Large 10 - 13+ 
- lightweight
- aluminium toe cap
- adjustable Velcro strap
- durable and flexible rubber anti-slip sole

Premium Footbed



- Sizes: 3 - 13
- Additional comfort & support
- Made from moulded PU and a taibrelle mesh upper
- Help to reduce wearer fatigue

Platinum Footbed



- Sizes: 2 - 14
- ultra-generous comfort
- extra thick moulded PU
- 2mm memory foam pillow top
- Poron® heel insert and velvet mesh upper
- reduce wearer fatigue

Urban Retro Footbed



- Sizes: 7 - 13
- high-quality moulded PU
- reduce wearer fatigue
- breathable taibrelle mesh upper
- exceptional comfort and support
- Anti-bacterial
- Anti-fungal
- Contoured heel cushion
- Shock absorbing
- Arch support
- Moisture-wicking
- Fast drying

Cruiza Comfort Footbed



- Sizes: 3 - 12
- moulded PU
- heel cushion and solid arch support
- Anti-bacterial
- Anti-fungal
- Highly breathable
- Contoured heel cushion
- Shock absorbing
- Arch support
- Moisture-wicking
- Fast drying
- Extra Comfort

Welding Range

Your Protection Against Welding, Grinding and Sparks

Chrome Leather Apron with

- Metal / Plastic Buckles (120cm)
- Durable leather apron



Chrome Leather Apron with

- Metal / Plastic Buckles (90cm)
- Durable leather apron



Chrome Leather Sleeves

- Sizes: S - 5XL



Chrome Leather Ankle Spats

- High ankle length, premium leather.
- Two buckle-up anchoring points



Chrome Leather Knee Spats

- High knee length, premium leather spats.
- Three buckle-up anchoring points



Chrome Leather Yoke

- L - 4XL
- Chest and arms protection.
- Three press button fasteners



Welding Range

Your Protection Against Welding, Grinding and Sparks

Chrome Leather Sleeves with Thumb Hole

- Sizes: S - 5XL



Chrome Leather Trouser

- Sizes: S - 5XL



Chrome Leather Jacket And Trouser

- Sizes: S - 5XL



Chrome Leather Spats (Long)

- Sizes: S - 5XL



Furnace Range

Aluminized Range

- Supple and comfortable
- Outstanding mechanical resistance
- Excellent behaviour to ferrous and non-ferrous molten metal splash
- Trademarked Aluminized technology protects and enhances the aluminium reflectance efficiency
- Aluminized Carbon-Aramid light weight fabric technology with superior molten metal splash protection

Aluminized Hood



Aluminized Visor For Radiant Heat Protection



Aluminized Jacket



Aluminized Bolero



Aluminized Bib & Brace



Aluminized Overboot



Aluminized Five Finger Double Palm Elbow Length Glove



Woolen Range

- Comfortable Fit.
- Velcro Fastening Strap.
- Zirpro Treated 100% Woven Wool.
- Good Heat Resistance and Insulation Properties.
- Not Suitable for Molten Metal Splashes and Slags.

Wool Hood With Visor and Gauze



Wool Hoodie



Wool Jacket



Wool Knee Length Coat



Wool Trousers



Wool One Piece Overall With Reflective



ARC Range

ARC Hazard Risk Category 2

ARC Flash Balaclava

- Fabri: Lenzing FR, Aramid, Anti-Static Blend
- Colours: Grey
- Sizes: One Size Fits All
- ATPV: 13CAL/CM



ARC Flash Visor With Nikki Hard Hat

- Fabri: Other
- Colours: Visor Emerald Green
- Hard Hat: White
- Sizes: One Size Fits All
- ATPV: 18CAL/CM



ARC Flash Clear Visor With Nikki Hard Hat

- Fabri: Polycarbonate, ABS
- Colours: Clear with anti-glare tint
- Sizes: One Size Fits All
- ATPV: 17CAL/CM



ARC Flash Gloves

- Fabri: Lenzing FR, Aramid, Anti-Static Blend
- Colours: Grey
- Sizes: Once Size Fits All
- ATPV: 14CAL/CM



ARC FLASH THERMAL T- SHIRT

- Fabric: Lenzing FR, Aramid, Anti-Static Blend
- Colours: Grey
- Sizes: 32 - 60
- ATPV: 13CAL/CM



ARC lime Silver Lime & Work Trouser

- Fabric: Lenzing FR, Aramid, Anti-Static Blend
- Colours: Navy Blue
- Sizes: 28 - 56
- ATPV: 13CAL/CM



ARC Lime Silver Lime & Standard Work Jacket

- Fabric: Lenzing FR, Aramid, Anti-Static Blend
- Colours: Navy Blue
- Sizes: 32 - 60
- ATPV: 13CAL/CM



ARC Reflective & Standard Chambray Shirt

- Fabric: Lenzing FR, Aramid, Anti-Static Blend
- Colours: Sky Blue
- Sizes: 32 - 60
- ATPV: 13CAL/CM



ARC Range

ARC Hazard Risk Category 2

ARC Flash Hood

- Fabric: Lenzing FR, Aramid, Anti-Static Blend
- Sizes: One Size Fits All
- ATPV: 52 CAL/CM²



ARC Flash Gloves

- Fabric: 1x layer Lenzing FR, Aramid, Anti-Static Blend
- 2x layers 100% Non-Woven Meta-Aramid fabric
- 1x layer 100% Cotton Plain Weave fabric
- Weight: 764 gsm
- Sizes: 32-60
- ATPV: 52 CAL/CM²



ARC Flash Jacket

- Fabric: 1x layer Lenzing FR, Aramid, Anti-Static Blend
- 2x layers 100% Non-Woven Meta-Aramid fabric
- 1x layer 100% Cotton Plain Weave fabric
- Weight: 764 gsm
- Sizes: 32-60
- ATPV: 52 CAL/CM²



ARC Flash Bib And Brace

- Fabric: Lenzing FR, Aramid, Anti-Static Blend
- Sizes: 24-48
- ATPV: 52 CAL/CM²



Firewalk



Nebula



Rigger Pro



Abrasive Blasting

100 Blast Helmet – Air Cooled

- Lightweight design with air cooling tube for safety and comfort.
- Larger visor enhances operator's line of sight.
- Compliant, ensuring grade D air supply via a 3-stage filter.
- Easy maintenance with storage ring, detachable cap for washing/replacing, and quick replacement of outer visor.



Vinyl Blast Helmet

- Ideal for on-site blasting with an adequate viewing area.
- Includes an integrated cape and neck shroud for additional protection.
- Comes with an air regulator and a 165 mm x 105 mm visor.
- Requires clean, dry, uncontaminated air to protect the operator's head and face.
- Breathing filters can't remove carbon monoxide, which can be harmful.



Leather Blast Helmet

- Durable, air-fed blast helmet ideal for contained blasting.
- Equipped with a viewing area and integrated cape and neck shroud.
- Comes with air regular visor.
- 165mm x 105mm visor.
- Available with replacement visors.



Blast Gloves

- Elbow-length
- Quality
- Leather blast gloves.



Hydro Blast Helmet

- Compact, simple blast helmet for less aggressive blasting.
- Includes hard hat, blast visor, and ear muffs.
- Available with replacement visors.



Wide View Blast Helmet

- Air-fed helmet with broad viewing area.
- Suitable for various blast applications.
- Includes integrated cape and neck shroud.
- Includes integrated air regulator.
- 285mm x 100mm visor.
- Available with replacement visors.



Blast Suit

- High-quality, flexible, denim blast suits.
- Provides protection from deflected particulate matter.
- Comes with reflective tape for visibility.
- Fitted with Velcro strap and ankle/wrist tighteners for comfortable fit.



Blast Apron

- Ankle-length, durable tarpaulin aprons.
- Come with reflective tape for visibility.



Vinyl-Sandblasting-Helmet-and-Overall-Combo

- Sizes: S - L



Leather Sandblasting Helmet and Overall Combo

- Sizes: S - L



Height Safety

Inertia Basic Fall Arrest 2 Point Harness



Features:

- 2 Point Harness
- Adjustable leg straps and padded foam back support.

Applications:

- Certified for height safety.
- Includes sternal and back-mounted D-rings for chest connection.
- Durable 45mm wide polyester webbing with multi-color indicators.
- Maximum weight limit: 100kg.
- Recommended for basic fall arrest only.
- Replaceable after 5 years from manufacturing date.

Inertia Basic Fall Arrest Harness



Features:

- 45mm wide Polyester webbing
- Full body harness, with adjustable leg straps, permanently connected to lanyard
- Multi-colour webbing to indicate correct positioning prior to donning

Applications:

- Basic harness with double lanyard and scaffold hooks.
- Plastic parking point buckle on webbing loop for tripping prevention.
- Full EN Compliance, suitable for users up to 140kgs.

Lanyard Parking Points Buckle



- Lanyard Parking Points Buckle is a durable plastic buckle which is sold in pairs.

Inertia Double Lanyard



Features:

- 30mm wide Polyester webbing
- 55mm opening steel hook with automatic locking gate device and safety catch

Applications:

- 1.75 m double lanyard attached to shock absorber
- Large opening hook for easy connections to larger anchorage points
- Does not allow forces over 6kN on the user
- Double reinforced to reduce wear and tear at tension points
- MUST be connected above the users shoulders to an anchor point which is designed to withstand a minimum of 15kN

Inertia Temporary Horizontal Lifeline (20 Metre)



- 20 Metre Temporary Horizontal Lifeline Features:
- Versatile straps for setup between anchor points.
- Designed for covered, outdoor use.
- Certified to 2x 140kg users – 280kg.
- 50mm wide D-Ring anchor point.
- Corrosion-resistant steel ratchet.

Inertia Self Retracting Device (6 Metre)



- Designed for covered environments, not exposed to outdoor elements.
- Certified to 140kg for human use, user weight 59kg.
- Features a solid handle for ease of use.
- Individually packed, serial numbered, with user instruction leaflet and carabiner.

Height Safety

CORE RANGE

CORE



Core

- Standard Harness (no lanyard / single)
- Lanyard/double lanyard / with and without standing step

CORE +



Core +


- Belted Harness (double lanyard/with and without standing step)

CORE RANGE OVERVIEW



CORE RANGE: No Lanyards

HARN01000



Features:

- 1 attachment point
- Standing step

Applications:

- Tasks requiring retractable lanyards or different lanyards in different applications
- Working in positions of restraint

HARN02000



Features:

- 2 attachment points

Applications:

- Tasks requiring retractable lanyards or different lanyards in different applications
- Working in positions of restraint
- Attaching to a vertical lifeline

Core Range: Permanently Attached Lanyards and Snap Hooks

HARN01110



Features:

- Single Lanyard with Snap hook

Applications:

- Small attachments/anchor points
- Tasks that can be completed without detaching from initial anchor point

HARN01210



Features:

- Single Lanyard with Snap hook

Applications:

- Small attachments/anchor points
- Tasks that require the individual to detach from the initial anchor point and reattach to another

Core Range: Permanently Attached Lanyards and Snap Hooks

HARN02210



Features:

- As per HARN01210, but with a belt.

HARN01250



Features:

- As per HARN01210, but with a standing step

Core Range: Permanently Attached Lanyards and Scaff Hooks

Applications:

- Tasks that require the individual to move beyond the initial attachment point
- Connects to small and medium sized attached points – covers more options

HARN01260



Features:

- As per HARN01220, but with a standing step

HARN02260



Features:

- As per HARN02220, but with a standing step

Artisan Range

Applications:

- More technical applications such as rope access, rescue and underground mining.
- Multi purpose solutions for individuals who perform in various environments

AGILIS



EXCAVO



GORDIAN



Accessories:

- Double leg lanyard
- Adjustable double leg lanyard
- Elasticated double leg lanyard
- Work positioning lanyard
- Endless round climbing sling

ARTISAN RANGE: Agilis

Dorsal D-Ring:
To attach the correct lanyard for the task at hand

Frontal D-Ring:
Enables the wearer to perform a rescue operation or fix a vertical or retractable lifeline

Two Waist D-Rings:
Attach to a work positioning belt to free up the wearer's hands.



Padded Waist Belt:
Distributes pressure over a wider area to enhance comfort.

Sit Strap:
When utilising the frontal D-Ring, the sit strap supports the buttocks, improving comfort.

Standing Step:
Can be deployed in the event of a fall.

Lanyards and Accessories: Work Positioning Lanyard

Engineered to attach to one side of the harness's side D-rings, loop around an object (e.g. a pole) and then attach to the other side D-Ring.
This allows the wearer to work hands-free at heights.

WPSR01010



ARTISAN RANGE: Excavo

Engineered to perform with all functionalities required for underground mining.

Dorsal D-Ring:
To attach the correct lanyard for the task at hand

Shoulder D-Rings:
Can be used during rescue instead of the usual Dorsal D-Ring.

Two Waist D-Rings:
Attach to a work positioning belt to free up the wearer's hands.

Rescue and Battery Pack rap:
Very important feature in underground mining.


Padded Waist Belt:
Distributes pressure over a wider area to enhance comfort.

Sit Strap:
When utilising the fontal D-Ring, the sit strap supports the buttocks, improving comfort.

Standing Step:
Can be deployed in the event of a fall.

ARTISAN RANGE: Gordian

Engineered to perform the requirements of rope access and rescue:



Rigging:

Creating anchor points. E.g. production sets, mining and construction, shipyards.

Zipline:

Waist D-Ring can be attached to a zipline for recreational sport.

Forestry:

D-Ring can loop to a work positioning lanyard around a tree.

Building Installation, Inspection and Maintenance:

Ships, buildings, oil rig, silos, and waterworks.

Cleaners, electricians, telecoms workers, and engineers.

Rescue Operations:

Medical personnel

Trained personnel on site

ARTISAN RANGE: Accessories

1. Double Leg Lanyard:

The working at heights essential.

LANY05420



2. Adjustable Double Leg Lanyard:

Adjustable length reduces potential fall distance.

LANY01220



3. Elasticated Double Leg Lanyard:

Keeps loose hooks from dragging on ground or getting caught in hazards.

LANY01620



4. Work Positioning Lanyard:

Safely attaches the wearer to an access point, keeping both hands free for work.

WPSR01010



5. Endless Round Climbing Sling:

Allows for anchoring to structures too large for standard hooks.



SPECIALIST RANGE

Hazardous environments that involve high heat and the potential of an ARC flash.

Engineered from Flame-retardant para-aramid/meta-aramid webbing.

Features Aluminium hardware.

SPARK



Spark:

Core based harness engineered from flame retardant webbing, suitable for high-heat and spark-prone environments.


ARC



Arc:

Multi-purpose and rescue harness engineered to perform when there is the risk of an arc flash.

SPECIALIST RANGE: Spark



Dorsal D-Ring:

To attach the correct lanyard for the task at hand.

Frontal D-Ring:

Adjustable shoulder straps to improve fit and comfort.

Adjustable Chest Strap:

With quick-release buckles.

Sit Strap:

Supports the buttocks and improves comfort.

Adjustable Leg Straps:

With quick-release buckles.

SPECIALIST RANGE: ARC

Engineered from flame retardant and arc flash rated webbing.

All attachment points, adjustments & padding are covered in full grain leather that creates a non-conductive barrier in the event of exposure to an arc flash.




Engineered from para-aramid/meta-aramid blended webbing.

Recommended for those who are exposed to burns, sparks and high heat generated through welding & grinding.

Shock absorber is protected by a full grain leather cover that creates a non-conductive barrier in the event of exposure to an arc flash.

Double leg allows one leg to remain attached at all times while the second leg is moved and anchored in place.

Lanyards and Accessories: Adjustable Double Leg Shock Absorbing Lanyard



First Aid Kits

Regulation 3 First Aid Kit with box



Regulations 3 Refills



Regulation 7 First Aid Kit with box



Regulation 7 Refills



Vehicle First Aid Kit



Essential Burnshield Kit



Eye Wash Stations

Basic First Aid Eye Wash Kit Wall Mountable 2 Bottles



- 1 Wall Mountable Metal Frame.
- Attached Mirror.
- Instruction Card.
- 2 x 250ml Bottles.
- Easy Mounting.
- Loose Fitting lids to ensure nozzles remain dust free.
- Nozzles are contoured to fit eye socket comfortably.
- Excludes Saline Solution

Occulo Bottle Basic Eyewash Station



- Small, Easily Installed Allows Quick Access
- Wall Mounted (Plugs And Screws Provided)
- Directional Sign Shrink-Wrapped With Unit
- Tamper Proof Seal Provided
- Includes Occulo Eyewash Bottle
- Excludes Saline Solution

Eyewash Plastic Case Double Bottle



- Eyewash Plastic Case Station.
- Ideal for moving vehicles as the kits lock into place using brackets.
- Tough translucent moulded plastic case allows a quick check to see that contents are in place.
- Quick release bracket and carrying handles enables kit to be taken directly to the incident location.
- Strictly Imported – Lead Time May Vary Depending on Quantity
- Delayed Delivery May Occur Due To Covid Restrictions in Imported Country

Contents-Eyewash Station:

- 2 x 500ml bottles of eyewash.
- 2 x sterile eye pads with bandage.
- Wall fixing bracket.

Basic First Aid Eye Wash Kit Wall Mountable 2 Bottles



- Wall Mountable Metal Case With Plastic Screen
- Includes 2 x 250ml Eyewash Bottles
- Easy Mounting
- Includes 1 x 1000ml Saline Solution

Wall Mountable Metal Box Eyewash Station



- Water for Irrigation
- Eye Pads with Head Band
- Gloves
- Gauze Sterile
- Refresh Eye Drops
- Eye Wash Bottle
- 5-7 Day Lead Time.

Green Bottled Eyewash Station



- Wall Mountable Plastic Stand
- Includes 2 x 500ml Empty Eyewash Bottles
- Easy Mounting
- Excludes Saline Solution

Emergency Eye Wash Station Wall Mountable



- Hand Operated.
- Stainless Steel.
- Easily Accessible
- Wall Mountable
- Requires Constant Water Supply
- Ideal For Areas Working With Hazardous Chemicals
- A Wide Selection of Eye Wash Stations Available.
- 5-7 Day Lead Time.

Emergency Eye Wash Station Hand Operated Free Standing



- Hand Operated.
- Emergency Eyewash Station.
- Stainless Steel.
- Easy Accessible.
- Ideal For Areas Working With Hazardous Chemicals
- A Wide Selection of Eye Wash Stations Available.
- 5-7 Day Lead Time.

Emergency Eye Wash Station Foot Operated Free Standing



- Foot Operated.
- Emergency Eyewash Station.
- Stainless Steel.
- Easy Accessible.
- Ideal For Areas Working With Hazardous Chemicals
- A Wide Selection of Eye Wash Stations Available.
- 5-7 Day Lead Time.

Emergency Eye Wash Station Combo Foot Hand Operated Free Standing



- Hand & Foot Operated.
- Emergency Eyewash Station.
- Stainless Steel.
- Easy Accessible.
- Ideal For Areas Working With Hazardous Chemicals
- A Wide Selection Of Eye Wash Stations Available.
- 5-7 Day Lead Time.

Road Safety

Rubber Knee Pads



- Strap on shock absorbent pads.
- Protect knee area from bumps/falls.

Kidney Belt



- 20 cm elastic kidney support.
- Three flexible back supports.
- Velcro fastened

Barrier Tape Red and White (500m Roll)



- Made from tough, stretchable plastic.
- Enables easy, secure sealing without ripping.

Danger Tape Yellow and Black (500m Roll)



- Made from tough, stretchable plastic.
- Enables easy, secure sealing.
- Prevents ripping.

Buggy Whip with Reflective Sleeve and Flag (3m)



- 3m long fibre glass pole.
- Lime reflective sleeve.
- Orange flag with horizontal reflective strip.
- Increased visibility through reflective strip.

Flash Strobe Light



- Protective layer gasket prevents roof scratching.
- Self-contained LED with no external flasher.
- Weatherproof, ready for exterior mounting.
- Can be magnetically mounted.

Orange Road Cone with Reflective Tape 450mm




- 3m long fibre glass pole.
- Lime reflective sleeve.
- Orange flag with horizontal reflective strip.
- Increased visibility through reflective strip.

Orange Road Cone with Reflective Tape 700mm



- Made from high-quality PVC material.
- Features two reflective strips on middle and top.
- Fade-resistant and maintains bright color.
- Ideal for traffic safety, construction, etc.

Barrier Netting 1.2m High (50m Roll)




- Enclose specific land plots.
- Made from heavy-duty, hi-visibly orange plastic.
- Easy to transport and pitch.

Barrier Netting 1m High (50m Roll)



- Enclose specific land plots.
- Made from heavy-duty, hi-visibly orange plastic.
- Easy to transport and pitch.

Knitted Barrier Netting 1m High (50m Roll)



- Enclose specific land plots.
- Made from heavy-duty, hi-visibly orange and yellow plastic.
- Easy to transport and pitch.

Air Flow Freezer Spacers

Optimal air flow



60% faster freezing time



60% faster defrosting



50% Electricity cost saving



BENEFITS


- Stackable
- Cost effective
- Light Weight
- HACCP Compliant
- Eliminate Freezer burn
- 25 Year Proven record
- Durable and long lasting
- Eliminate Partial freezing
- Easy to Wash and sanitize
- Anti Bacterial and mold resistant

FEATURES

- HDPE Material
- Optimum air flow design
- Temperature tolerance 50<90 degrees

DIMENSIONS

- Length / cm - 120
- Width / cm - 100
- Height / cm - 5.5
- Unit weight / Kg - 4
- Max load capacity /Kg 1200





YOUR SPECIALISTS IN PROTECTIVE GEAR

About Us

K-MAN was established in 2004, boasting over 25 years of expertise in providing Personal Protective Equipment (PPE) and packaging solutions across various market sectors such as food processing, laboratories, agriculture, mining, industrial, and chemical industries. As suppliers of distinguished brands offering innovative and certified products tailored to industry-specific needs, we are committed to guiding clients based on hazard exposure, recommending cost-effective solutions that prioritize safety above all else. Our dedication lies in delivering exceptional service with swift turnaround times, ensuring client satisfaction.

"Your Challenge, Our Solution"

Why Choose Us

- ✓ PPE Specialists
- ✓ Free site assessment
- ✓ Brand experts
- ✓ Product trials
- ✓ Product training
- ✓ Train the trainer programs
- ✓ National Supply
- ✓ Cross Border supply
- ✓ Prompt professional supply
- ✓ Always on call

Contact Us

Office - +27 010 158-4304
 Office - 079 5160925
 Wayne@k-man.co.za
 Lizette@k-man.co.za
 Sallomae@k-man.co.za
 Sales@k-man.co.za



Alberton Business Park, Unit 51,
186 Second Ave, Alberton, 1453



www.k-man.co.za

K-MAN

SOLUTIONS



Alberton Office Park
Unit 51
186 Second Ave
Alberton



Office (+27) 010 158 4304
(+27) 079 5160925
(+27) 066 0019988
(+27) 082 7251149



Wayne@k-man.co.za
Lizette@k-man.co.za
Sallomae@k-man.co.za
Sales@k-man.co.za



United Kingdom
(+44) 73 788 10575
Patrick@k-man.co.za



Office (+44) 073 78810575



www.k-man.co.za